AQUA LUNG®

Military & Professional

PUBLIC SAFETY BUYER'S GUIDE

2012

www.aqualung.com/militaryandprofessional

PUBLIC SAFETY BUYER'S GUIDE 2012

TABLE OF CONTENTS

PUBLIC SAFETY PROGRAM 3
RECOMMENDED EQUIPMENT 4-5
REGULATORS 6-10
OCTOPUS REGULATORS 11
REDUNDANT AIR SYSTEM 12
AIRSOURCE 13
REGULATOR ACCESSORIES 14-15
FULL FACE MASKS 16
SWIMMER VESTS 17
BC'S & ACCESSORIES 18-28
TANK HARNESSES 29
TANK BANDS 30
PFD'S 31
PFD'S & ACCESSORIES 32
GAUGES 33-34
SUUNTO INSTRUMENTS 35-43
LIGHTS 44
MASKS 45
MILITARY MASKS 46
SNORKELS 47
FINS 48-50
WHITES DRY SUITS 51-52
MILITARY WETSUITS 53
WETSUITS 54-59
HOODED VESTS 60
HOODS 61
GLOVES 62-64
BOOTS 65-69
BAGS 70-75
KNIVES 76-77
SURFACE-SUPPY DIVING 78-81
MISSION SPECIFIC DIVE PRODUCTS 82-83



AQUALUNG PUBLIC SAFETY PROGRAM 2012

Professional Grade Equipment for Public Safety Dive and Rescue Teams

Aqua Lung diving equipment has been used for many years by Public Safety dive and rescue teams worldwide and has a reputation for reliability, performance and durability. Core breathing system products such as Apeks regulators provide field-proven capability and performance for SCUBA and surface-supplied diving operations in all environments. Key dive accessories, including fins, diver knives, masks and snorkels, have become benchmark products for the professional diver and the Aqua Lung group continues to develop equipment designed to meet the needs of the Public Safety market. Significant recent developments include ruggedized buoyancy compensators for Military & Professional use, and surface-supplied diving equipment.

Aqua Lung America Public Safety Program

Starting in 2012 Aqua Lung America has revitalized their program for Public Safety clients including a network of Aqua Lung Public Safety dealers and a dedicated program manager. This Public Safety Buyers Guide is available to dealers and end-users to assist and guide their equipment selection. In addition a recommended list of equipment for Public Safety divers has been developed – see pages 4 and 5.

AQUA LUNG GROUP MILITARY & PROFESSIONAL BRANDS:

AQUA LUNG®
Military & Professional

Military, Public Safety, Commercial Diving

www.aqualung.com/militaryandprofessional

WHITES

www. whitesdiving.com

apeks

www. apeks.co.uk

GORSKI

www. gorskihat.com

AERIAL

Aviation, Safety & Tactical

www. aerialmachineandtool.com

RECOMMENDED EQUIPMENT

RECOMMENDED PUBLIC SAFETY DIVE EQUIPMENT

Although all products in this guide are suitable for Public Safety diving tasks, the following equipment is specially recommended by Aqua Lung for use by Public Safety divers. The list is neither exhaustive nor prescriptive. It is intended to identify those Aqua Lung products that are well-suited for use by Public Safety divers on the basis of equipment performance, field-experience, and durability.

Recommended products are identified in the Buyers Guide with the label shown on the right.

Product	See Page
Regulator Sets	
Apeks XTX200 – Yoke or DIN	6
Apeks TX50 – Yoke or DIN	8
Apeks XTX50 – Yoke or DIN	9
1st Stage Regulators	
Apeks FSR (XTX200) 1st Stage Regulator, Yoke or DIN	6
Apeks DST (XTX50) 1st Stage Regulator, Yoke or DIN, All 3/8" Ports	9
Apeks DS4 1st Stage Regulator, Yoke or DIN	9
2nd Stage Octopus Regulators	
Apeks XTX40 Octopus w/ 36in Yellow Hose	11
Apeks Egress Octopus	11
1st Stage Regulator Accessories	
Adjustable Pressure Relief Valve (APRV)	14
Submersible Mini-Gauge, Dial, 0-3000 psi	33
Full Face Mask (FFM)	
Apeks Guardian FFM	16
Professional Buoyancy Compensators	
Black Diamond - Military Versions	18
Pro QD M	19
Apeks WTX Series, including Buoyancy Cells w/internal retractor option	22-24
Instruments	
Apeks CONSOLE 3: SPG 5000 psi, Depth Gauge 230 ft, Compass	34
Suunto Cobra Computer Pro Pack w/SK7 Compass & QD	35
Secondary/Swim Masks (Silicone)	
Micromask, Black/Black	45
Maui, Black/Black	46

RECOMMENDED EQUIPMENT

Product	See Page
Snorkels	
Impulse 3 Snorkel, Flex, Black/Red	47
Military Snorkel, Flex, Black Neoprene	47
Fins - Large Foot Pocket, Lightweight	
Rocket II Fins	48
Shredder SAR Fins	48
Wet Suits	
Isoflex 2-Piece Military Wet Suit	53
7MM Jump Military Wet Suit	53
Gloves	
Men's 3mm Thermocline Kevlar Glove	62
Men's 5mm Thermocline Kevlar Glove	62
Men's 3mm Thermocline Glove	63
Men's 5mm Thermocline Glove	63
Knives	
Master Knife	76
Big Squeeze, Stainless, Blunt Tip	76
Big Squeeze, Titanium, Tanto Tip	76
Jack Knife, Blunt Tip	76
Squeeze Lock, Stainless, Blunt Tip	77
Squeeze Lock, Titanium, Tanto Tip, Blue tabs	77
EZ Lock, Stainless, Blunt Tip	77
EZ Lock, Titanium, Tanto Tip	77

REGULATORS

apeks XTX200

The XTX 200 is the flagship of the Apeks Regulator Range and the definitive blend of style and high performance.

Every detail has been carefully designed to offer a high quality piece of equipment.

- Uses the proven "FSR" type first stage
- Features a bright chrome finish
- All medium pressure ports are 3/8" so that the reversible XTX second stage can mount to either side of the first stage
- The over-balancing feature allows the medium pressure air in the hose to increase at a rate faster than ambient pressure resulting in superior performance
- Comes standard with an environmental dry kit which keeps water and contaminants out as well as makes the model more resistant to freezing
- Compatible to EAN 40, new, out of the box
- Although shipped in a standard right-hand configuration, this second stage can be reversed into a left-hand configuration by an Authorized Apeks Technician.
- Features new Diver Changeable Exhaust (DCE) System. This system gives the diver the ability to change from a large exhaust tee to a smaller exhaust tee. The large tee provides the best exhaust bubble dispersion; the smaller tee is lighter weight and compact. The regulator comes with both sets of exhaust tees
- Improved exhalation performance and overall work of breathing
- This pneumatically balanced second stage has diver-adjustable controls for opening effort and venturi control
- Suitable for coldwater use

RECOMMENDED PUBLIC SAFETY PRODUCT

An AQUA LUNG Company

Part #	Description
AP0334	XTX200 - Yoke - Regulator Set
AP03341	XTX200 - DIN - Regulator Set
AP0363	FSR (XTX200) First Stage - Yoke
AP03631	FSR (XTX200) First Stage - DIN

TUNGSTEN XTX

The XTX Tungsten is built upon the XTX200 platform but with a truly unique, added feature: it is protected with a hard, durable PVD (Physical Vapor Deposition) finish. This "tough as nails" finish is better than traditional chrome plating. The coating is made of high quality grades of Titanium, Zirconium and Chromium. The result is not only rich, but protects your investment from normal diving abuse.

- The XTX Tungsten features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator will be supplied with both sets of exhaust tees
- The XTX Tungsten can be converted from a right handed hose configuration to a left handed one. The process of changing the regulator to a left handed configuration is both quick and simple. However this procedure MUST only be performed by an APEKS Authorized Service Technician
- The new ergonomic Venturi lever of the XTX range has been designed to reduce the amount of grit ingress. It also incorporates an index-able, tactile, audible ratcheting Venturi lever mechanism
- Available in yoke or din configuration
- A new silicone exhaust valve has been used on the XTX demand regulator range. This new valve improves the breathing performance of the regulator
- Compatible with EAN40 new, out of the box

Part #	Description	UPC Code
AP0335	Tungsten - Yoke	
AP0335-1	Tungsten - DIN	

WWW.AQUALUNG.COM/MILITARYANDPROFESSIONAL

REGULATORS

apeks TX50

AMU LISTED

This is the regulator of choice for technical divers around the world.

This time-proven performer gets taken to the extreme and never disappoints.

- 2 high pressure port and 4 medium pressure ports are ideally located for use on a twin manifold or a single valve
- First stage comes standard with a 300 bar DIN connector
- The first stage is dry sealed keeping all internal components protected from the environment
- The TX50 second stage uses a pneumatically balanced valve system and is the most advanced diver adjustable breathing system available
- The TX 50 has ergonomically designed diver adjustable controls for opening effort and venturi assistance allowing the diver to tune the breathing characteristics of the regulator to give virtually ideal breathing
- Because of the TX50's high efficiency heat exchanger system, it can cope with even the coldest conditions without freezing, making it the perfect all round regulator
- The large swept back exhaust tee is excellent for bubble dispersion
- Comes standard with the Comfo-bite mouthpiece for increased comfort
- Compatible to EAN 40, new, out of the box
- Authorized for U.S. Military Use (AMU) in water temp as low as 29 degree F

RECOMMENDED PUBLIC SAFETY PRODUCT

AMU LISTED

An AQUA LUNG Company

Part #	Description
AP0500	TX50 - Yoke - Regulator Set (Note: DST First Stage with 1/2" Port)
AP05001	TX50 - DIN - Regulator Set (Note: DST First Stage with 1/2" Port)
AP0503	TX50, Octopus
AP0230	TX50 First Stage - DST Yoke, with 1/2" Port
AP0230-1	TX50 First Stage - DST DIN, with 1/2" Port
AP0241/AA	Service Kit, Apeks 1st Stages
AP0219/AA	Service Kit, Apeks 2nd Stages
101575	TX50 Tool Kit with Hard Case
AP30202	Adapter, Port 1/2"M to 3/8"F

REGULATORS

apeks XTX50

The XTX50 Regulator is for the diver who wants the benefits of a feature-rich regulator at a moderate price.

- This popular first stage has four medium-pressure ports all mounted on a rotating turret. This results in optimal hose routing while eliminating sharp bends in the hose
- The first stage is over-balanced resulting in a higher medium pressure at each depth. This translates to a very responsive, easy breathing regulator
- Since this pneumatically balanced second stage is part of the XTX family, it has left /right reversibility providing multiple regulator configurations
- The XTX50 features the new Diver Changeable Exhaust (DCE) System. This system gives the diver the ability to change from a wide exhaust tee to a narrower exhaust tee. The wider tee provides the best exhaust bubble dispersion; the narrower tee is lighter weight and compact
- Offers a ratcheting, indexible, venturi control lever
- Easy-to-grip opening effort control knob
- Suitable for cold water use
- Compatible to EAN 40 new, out of the box

Part #	Description	UPC Code
AP0332	XTX50 - Yoke - Regulator Set	053242 193306
AP0332-1	XTX50 - DIN - Regulator Set	053242 193313
AP0361	XTX50 First Stage - DST Yoke, All 3/8" Ports	
AP03611	XTX50 First Stage - DST DIN, All 3/8" Ports	
AP0527	DS4 First Stage - Yoke	
AP0528	DS4 First Stage - DIN	

apeks XTX50/DS4 DIN

This is the regulator of choice for technical divers around the world.
This regulator is often taken to the extremes and never disappoints.

- This regulator is similar to the XTX50 mentioned previously less the rotating turret
- The compact first stage is ideally suited for twin manifolds or for use on a single valve
- The one high-pressure port and four low-pressure ports are positioned for most common diving rigs
- The over-balanced first stage provides superior performance at deeper depths
- The first stage is dry-sealed preventing the entry of contaminants as well as ice formation on the main spring
- The XTX50 second stage is pneumatically balanced for very easy breathing
- Due to its innovative Reversible Venturi System (RVS), the second stage can be configured into a right hand or left hand orientation
- The venturi lever is ratcheting and indexible
- Easy-to-grip opening effort control knob
- Suitable for coldwater use
- Compatible to EAN 40 new, out of the box
- First stage comes standard with a 300 Bar DIN connector

An AQUALUNG Company

Part #	Description	UPC Code
AA0342-1	XTX50/DS4	053242 196543

REGULATORS

AQUA LUNG® LEGEND LX

If you want the same high performance features and ease of breathing as the Legend LUX but without the pink gold finish, you will find it with the Legend LX. Like the Legend LUX, the Legend LX features the Master Breathing System (MBS).

- The MBS is a new, simple and effective way to adjust the breathing performance of your Legend LUX. The MBS controls two functions at one time. It controls the direction of air, which alters the venturi effect, as well as changes the opening effort. One control - two functions, it doesn't get easier.

ACD system MBS

AQUA LUNG® LEGEND

The Legend shares the same features and performance as the Legend LUX and Legend LX with one notable exception. Instead of the MBS dual control valve, the Legend offers a venturi switch.

- The venturi switch helps prevent freeflow at the surface and when the regulator is out of the diver's mouth.
- The opening efforts is present in a fixed position so the diver doesn't have to worry about adjusting the regulator during the dive.

Part #	Description	UPC Code
129620	Legend LX - Yoke	846713017719
129630	Legend LX - DIN	846713017733
129680	Legend LX Supreme - Yoke	846713017818
129690	Legend LX Supreme - DIN	846713017825
129600	Legend - Yoke	846713017672
129610	Legend - DIN	846713017696
129660	Legend Supreme - Yoke	846713017771
129670	Legend Supreme - DIN	846713017795

OCTOPUS REGULATORS

apeks XTX50 OCTOPUS

- This Octopus is one of the family of high performance XTX second stage regulators.
- It includes left / right reversibility, coldwater capability and the performance you would expect from an Apeks pneumatically balanced valve
- Diver-adjustable controls for opening effort and venturi control
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose
- Comes standard with small exhaust tee

Part #	Description	UPC Code
AA0342	XTX50 Octopus	053242 194358

apeks XTX40 OCTOPUS

RECOMMENDED PUBLIC SAFETY PRODUCT

- This Octopus is one of the family of high performance XTX second stage regulators
- It includes left / right reversibility, coldwater capability and the performance you would expect from an Apeks pneumatically balanced valve
- Diver-adjustable venturi control only (no opening effort knob)
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose
- Comes standard with small exhaust tee

Part #	Description	UPC Code
AA0341	XTX40 Octopus	N/A

apeks EGRESS OCTOPUS

RECOMMENDED PUBLIC SAFETY PRODUCT

- Innovative low profile design minimizes drag
- Pneumatically balanced valve provides superior performance
- Suitable for cold water operation
- Perfect complement to all Apeks primary regulators
- Unique 120° ergonomic angle between the mouthpiece and hose
- Breathes smoothly when positioned right side up or upside down
- High visibility 36" yellow hose for easy identification in an emergency

An AQUA LUNG Company

Part #	Description	UPC Code
AP0756	Egress Octopus	N/A

DIVER REDUNDANT AIR SYSTEM

AQUA LUNG® S.P.U.D.S (SINGLE PARA SCUBA DEPLOYMENT SYSTEM)

- Military approved integrated 1st stage and valve with pressure guage
- Easily filled from SCUBA bottle or compressor
- SPUDS pocket available in black P/N 108387 (sold separately)
- SCUBA fill adapter P/N 108325
- Compressor fill adaptor P/N 100656 (sold separately)
- Black webbing dive beld P/N 712500 (sold separately)

KEY FEATURES:

- Integrated 1st stage regulator reduces 3000 psi to 135+/-20psi
- Simple in-line piston 1st stage regulator design
- On-demand type 2nd stage regulator
- 36" length LP hose w/swivel
- System On / Off valve
- Analog pressure dial indicator reads 0-3000psi
- HP one way fill port & dust cap
- Safety Burst Disc set @ 5000 psi
- 6.0 cubic feet 3000 psi HP aluminum cylinder
- Weight 5.0 lbs (approx) Height 13.6 in.

NOTE:
Recommended maximum depth 65 fsw

Part #	Description	UPC Code
108413	SPUDS (Single Para Scuba Deployment System)	

AQUA LUNG® AIRSOURCE 3

The Airsource 3 combines a high-performance second stage with a power inflator. By eliminating the need for a traditional octopus, the diver can streamline his entire system. In addition, unlike a traditional octopus that can drag in the sand or damage coral, you'll take comfort knowing that the Airsource 3 is right in front of you ready to deliver life saving air in a moment's notice.
Several new features have been added to this latest version of Airsource to make it the most desirable of all breathable inflators.

- The second stage valve is pneumatically balanced resulting in unparalleled performance and consistent breathing from start of dive to end. Ideal for use with over-balanced first stages
- Redesigned "Trim Grip" in the middle of the corrugated hose allows diver to dump air from BC during ascent without removing the Airsource from the mouth
- Using a clever bayonet mount, the Airsource quickly and easily separates from the BC at the "Trim Grip". This allows the Airsource to remain with the diver's complete regulator for packing and traveling
- Rather than use a traditional quick disconnect fitting, the Airsource is connected via a hose like your primary second stage. This allows better flow and better performance. It also prevents particulate matter and moisture from entering the second stage
- A specialized cut-off valve allows the diver to quickly and easily shut off air to the unit should there ever be a malfunction
- Ergonomic design optimizes button placement for ease of use
- Soft-touch purge cover is located on the bottom so it won't be inadvertently activated in strong currents
- Low-profile rapid-exhaust valve is activated by pulling on the "Trim Grip" or the lower unit
- Corrugated hose has clips and recessed areas to accommodate the mp hose
- Easier to service than it's predecessor

Part #	Description	UPC Code
15160	Airsource 3 Complete	053242 203401
15212	Airsource 3 Installed	053242 203418
15230	Airsource with QD Complete	053242 229302
15232	Airsource with QD Installed	053242 229319
15140	Airsource Conversion Kit FCD to QD	053242 236171

AQUA LUNG® AIRSOURCE ADAPTER RING

Airsource Adapter Rings allow you to mount the innovative Aqua Lung Airsource breathable inflator to BCs built by Mares, Scubapro and Zeagle.

Just because someone has chosen not to dive with the world's best selling brand of buoyancy compensator does not mean that they should be deprived of the best performing breathable inflator. Ditch that standard inflator and octopus and add an Aqua Lung Airsource to your rig. Reduce the number of hoses while you reduce the drag.

Part #	Description	UPC Code
15248	Adapter Ring, Mares	053242 218269
15249	Adapter Ring, Scubapro	053242 218276
15250	Adapter Ring, Zeagle	053242 218283

REGULATOR ACCESSORIES

apeks ADJUSTABLE PRESSURE RELIEF VALVE (APRV)

- Fully-adjustable relief valve
- Prevents gas hose from rupturing if 1st stage fails
- Recommended safety fitting for all diving operations
- Low profile prevents damage and snagging
- Suitable for any 1st stage diving regulator
- Adjustable 175 – 245 psi (12 – 17 bar)
- Factory preset to 217 psi (15 bar)

Part #	Description	UPC Code
AP0849/K	Adjustable Pressure Relief Valve	N/A

apeks FREEFLOW CONTROL DEVICE

- Isolates free-flowing 2nd stages
- Guards against unexpected air loss
- Improves diver safety
- Gives total control of a frozen 2nd stage

Part #	Description	UPC Code
AP0233	Freeflow Control Device	053242 167369
AP0235	Freeflow Control Device, Black	

apeks DIN TO YOKE CONVERTER

- Allows you to quickly and easily convert your existing DIN connector to yoke without the need for tools

Part #	Description	UPC Code
AP0195	DIN to Yoke Converter	053242 164887

apeks DIN CONNECTORS, ACCESSORIES, AND SERVICE KITS

- Allows you to replace your existing yoke connector
- Available in co-molded, bright chrome or satin finish

An AQUA LUNG Company

AP0620 AP0211 AP0211/S

Part #	Description	UPC Code
AP0620	Apeks DIN Adapter - co-molded handwheel	053242 199476
AP0211	Apeks DIN Adapter-Chrome	053242 170437
AP0211/S	Apeks DIN Adapter-Satin	053242 170444
AP0480K	Regulator necklace	053242 211048
AP0241/AA	Service Kit, Apeks diaphragm 1st stages (except Flight)	053242 163316
AP0219/AA	Service Kit, Apeks 2nd Stages (including Flight)	053242 163309

REGULATOR ACCESSORIES

AQUA LUNG® DIN ADAPTERS + CONVERTERS



p/n 125237

Part #	Description	UPC Code
125237	DIN to Yoke Converter	053242 194501
129226	Yoke Conversion Kit, Legend (Std. yoke to ACD yoke)	053242 194594
129227	Din Adapter Kit, Legend (ACD)	053242 194587

AQUA LUNG® REGULATOR SERVICE KITS

Part #	Description	UPC Code
900001	Service Kit, Titan, Conshelf 1st Stage (Non Military)	053242 118873
900012	Service Kit, Legend series & Titan LX series 2nd stages	053242 160759
900014	Service Kit, Legend Series 1st Stage	053242 167376
900017	Service Kit for Legend ACD Series 1st stages	053242 194518
900022	Service Kit for 2012 Legend Series 2nd stage	053242 264181

AQUA LUNG® REPLACEMENT MOUTH PIECES

Part #	Description	UPC Code
109512	Lip shield	053242 194730
109438	Comfo-bite, Black silicone, std. size, for XLC/ Legend/ Titan/Calypso Series/Kronos/Mikron	053242 177122
216044	2 ea. Comfo-bite mouthpiece, black, reusable tie wrap, pkgd	053242 210461
127826	Comfo-bite mouthpiece, black, small (as found on Mikron)	053242 210478
104138	Black silicone with bite tabs, std. size, for XLC/ Legend/ Titan/Calypso Series/Kronos/Mikron	053242 148269

AQUA LUNG® AQUAFLEX REGULATOR HOSES

Part #	Description	UPC Code
129861	Hose, MP, AquaFlex, 3/8' X 29"	053242 215466
129862	Hose, MP, AquaFlex, Yellow, 3/8' X 39"	053242 215459

FULL FACE MASKS

apeks FULL FACE MASKS

RECOMMENDED PUBLIC SAFETY PRODUCT

- Removable 2nd stage for easy cleaning and storage (cannot be used w/o mask)
- Made of a one-piece, pliable silicone skirt combined with injection-molded, high impact, glass-filled nylon frame and regulator housing
- Double face seal and slightly smaller/low volume oral nasal cavity to fit most faces
- Customizable nose block for equalization
- Air flow is directed up the visor face to eliminate fogging and through one-way valves in the oral nasal pocket to reduce CO2 retention
- Second stage comes off the right shoulder and uses a standard LP hose
- Communications port for easy installation of a Buddy Phone or ear/microphone assembly to connect to OTS' Diver Communications Unit such as the Aquacom® SSB-2010
- OTS Ambient Breathing Valve® (ABV®) allows the diver to breathe ambient air at surface, thus conserving scuba air
- Includes Mask Bag and 32" LP hose
- CE CERTIFIED

Part #	Description
APEKS GUARDIAN FULL FACE MASKS	
103480	APEKS FFM, Black/Black
103481	APEKS FFM, Black/Blue
103482	APEKS FFM, Black/Red
103483	APEKS FFM, Black/Pink
103484	APEKS FFM, Black/Green
103485	APEKS FFM, Blue/Black
103486	APEKS FFM, Yellow/Black
APEKS 1ST STAGES	
AP0527	DS4 Yoke
AP0528	DS4 DIN
AP0230	TX50, Yoke DST AP0361
AP0230-1	TX50, DIN DST AP03611-DN
AP0849K	Adjustable Pressure Relief Valve (APRV)
OTS UNDERWATER COMMUNICATION ACCESSORIES	
103487	APEKS FFM, Hot Mic, HiUse
103488	APEKS FFM, Super Mic, HiUse
103489	APEKS FFM, Hot Mic, Fem Amp Conn
103490	APEKS FFM, Hot Mic, Male Marsh Conn.
103491	Buddy Phone for APEKS FFM
103492	Buddy Phone 2 Channel Surface Station
103493	FFM Equalizing Kit
103494	FFM Head Strap, Black
103495	FFM One Way Valve (12 Pack)
103496	APEKS Visor with ABV Valve installed
103497	APEKS FFM Annual Maintenance Kit
300680	Mannequin Head

SWIMMERS VESTS

AQUA LUNG® SCOUT SWIMMERS VEST

- Designed for tactical surface swimming
- Oval neck opening for ease of use
- Military "H" harness straps with "D" rings
- 2 independent 38-gram CO2 inflators
- Oral inflation tube with locking ring
- Overpressure relief/dump valve
- Single bladder made of heavy duty 1000 Denier Nylon
- Large front pocket with Velcro closure
- Attachment straps for emergency air
- Buoyancy 18 lbs (8 liters)
- Replacement CO2 cartridge available

Part #	Description	UPC Code	NSN
769031	Scout Swimmers Vest	N/A	422001 4827394

AQUA LUNG® RESCUE SWIMMERS VEST

- Designed for tactical surface swimming
- Oval neck opening for ease of use
- Quick-disconnect buckle on waist strap for easy in-water removal
- Strobe attachment straps (strobe not included)
- 2 independent 38-gram CO2 inflators with beaded handles
- High flow oral inflator for rapid inflation/deflation
- Single bladder made of heavy duty 1000 Denier Nylon
- Large front pocket with radio and glow stick retainer straps
- Buoyancy 18 lbs (8 liters)
- Available in black

Part #	Description	UPC Code
769045	Rescue Swimmers Vest	N/A

AQUA LUNG® PARA SWIMMERS VEST

- Designed for parachute or surface swimming operations
- Velcro straps wrap for compact for use with parachutes
- Military "H" harness straps with "D" rings
- 2 independent 38-gram CO2 inflators with beaded handles
- Oral inflation tube with locking ring
- Overpressure relief/dump valve
- Single bladder made of heavy duty 420 Denier Nylon
- Large front pocket with Velcro closure
- Buoyancy 21lbs. (9 liters)
- Replacement CO2 cartridge available

Part #	Description	UPC Code	NSN
769041	Para Swimmers Vest	N/A	422001 5151205
769042	Vest, Marine Swimmer	N/A	

BC'S & ACCESSORIES

BLACK DIAMOND - MILITARY VERSIONS

RECOMMENDED PUBLIC SAFETY PRODUCT

- The Black Diamond is fitted with a wing style bladder that allows air to travel completely around the back pack. Air transfers easily from one side to the other for greater stability
- The most solid back inflation BC in the industry
- Exclusive, patented SureLock™ mechanical weight release system
- Constructed of rugged 840 denier nylon
- 5 large stainless steel D-ring attachment points (4 on size Small)
- 2" (50mm) Sea Quest swivel shoulder buckles (patented)
- One, fold-down cargo pocket plus two secure, zippered pockets
- Optional crotch strap (p/n 427038) and optional twin tank kit (p/n 427042)
- Multiset™ waistband for proper waistband sizing
- Optional waistband expanders add 6" to each side (p/n 427030)
- Attachment grommets allow easy mounting of any of the fine Deep See knives
- Vertical adjustment chest strap to compensate for drysuit valves
- Patented Self-Adjusting Lumbar Support (SLS) System conforms to divers lumbar region
- JON line stainless steel ring
- Over-molded carrying handle for convenience
- Rolled, plush collar for added comfort around diver's neck
- Right shoulder pull dump plus 2 lower rear dumps
- Authorized for U.S. Military Use (AMU)

PICTURED HERE WITH OPTIONAL AIRSOURCE

BLACK DIAMOND TECHNOLOGY SPECIFICATIONS

TYPE OF BC:	Back flotation
FABRIC	840 Denier Nylon
WEIGHT SYSTEM:	Fully integrated with Sure-Lock™ + 2 rear, non-ditch pockets
WAISTBAND	Adjustable Multi-Set
BACK PACK:	Large contour back pack with traction pad
POCKETS:	1 fold-down cargo pocket, 2 secured zippered pockets
CLIPS, D-RINGS:	5 SS D-rings (4 on Small), 1 female clip, JON line
DUMP VALVES:	2 standard lower back, 1 Right shoulder
SIZES AVAILABLE:	S, M, ML, L, XL
COLORS AVAILABLE:	Black
OPTIONAL FEATURES:	Twin tank kit, Crotch strap kit, Waistband Expander

Part #	Description	Size	UPC Code
304091	Black 304091 Surelock I	S	053242 181044
304092	Black 304092 Surelock I	M	053242 181051
304093	Black 304093 Surelock I	ML	053242 181068
304094	Black 304094 Surelock I	L	053242 181075
304095	Black 304095 Surelock I	XL	053242 181082
360091	Black, Weight Pockets	S	
360092	Black, Weight Pockets	M	
360093	Black, Weight Pockets	ML	
360094	Black, Weight Pockets	L	
360095	Black, Weight Pockets	XL	
377091	Black Surelock II	SM	053242 181044
377092	Black Surelock II	MD	053242 181051
377093	Black Surelock II	ML	053242 181068
377094	Black Surelock II	LG	053242 181075
377095	Black Surelock II	XL	053242 181082
427042	Twin Tank Kit		
769347	Powerline Inflator		
427075	Backpack Upgrade Kit		

AMU LISTED

seaQuest AQUA LUNG PRO QD M

RECOMMENDED PUBLIC SAFETY PRODUCT

Jacket style buoyancy compensator designed for open circuit use.
Time proven, and used by many military and professional units worldwide.

- Single bag construction, made of extra durable 1000 Denier Cordura
- Now all black for clandestine operations
- Comes in 5 different sizes
- Buoyancy from 13L (30lbs) to 24L (54lbs)
- 6 stainless steel 2" D-rings
- 2 large zipper pockets with pull cord
- SureLock I mechanical weight release system (safe, dependable and reliable)
- Knife grommets and instrument retractor attachment point on left pocket
- 2 overpressure relief/dump valves
- CE approved (EN1809)

Hi-Viz

Part #	Description	Size
394031	Pro QD-M, Black	S
394032	Pro QD-M, Black	M
394033	Pro QD-M, Black	ML
394034	Pro QD-M, Black	L
394035	Pro QD-M, Black	XL
394181	Pro QD-M, Hi-Viz	S
394182	Pro QD-M, Hi-Viz	M
394183	Pro QD-M, Hi-Viz	ML
394184	Pro QD-M, Hi-Viz	L
394185	Pro QD-M, Hi-Viz	XL

BC'S & ACCESSORIES

AQUA LUNG® DIMENSION i3

An Aqua Lung first! The Dimension i3 is a back inflation BC with an integrated i3 inflation/deflation system. The integrated Wrapture™ harness system (pat. pend.) allows you to stand up straight in total comfort while the cylinder remains perfectly vertical and pulled in close. Loaded with features, this innovative buoyancy compensator is built with high quality materials keeping both comfort and style in mind.

- By placing the air cell behind them, the diver is more streamlined.
- The integrated i3 control system provides a single touch control for both inflation and deflation.
- Flat e-valves (pat. pend.) are very streamlined and effective. One-way design keeps water out.
- The multiple dump feature means that when you depress the i3 lever, all of the flat e-valves open at once! No more reaching for the wrong valve.
- Custom backpack is thin to keep cylinder close to your center of gravity and efficiently distributes the cylinder weight.
- The Wrapture™ Haness System works in conjunction with the shoulder swivel buckles (patented) to prevent ride-up and supports the weight pockets
- The patented SureLock™II weight system provides a simple, single pull release. Loading is as simple as insert and "click".
- Pull down oral inflator is easy to deploy and stow.
- A strong retractor band is used to pull in the sides of the bladder while deflating.
- An adjustable chest strap can be raised and lowered on a rail system.
- HP and MP hose routings throught the back keep your entire kit low profile thus minimizing drag.

DIMENSION i3 SPECIFICATIONS

TYPE OF BC:	Back inflation unit with an integrated i3 system
FABRICS:	Air cell made from heat-sealable 1000D Armorshield™ Cordura® outside and 500D Armor™ Cordura® inside, Armor X, 1050D ballistic nylon, V-Diamond Rubber, Titanium mesh, various open-cell foams for padding and comfort
WEIGHT:	All sizes capable of holding 30lbs / 13.5 kg of lead weight
SYSTEM:	SureLock™ II ditchable pockets are single channel each capable of holding 10 lbs / 4.5 kg. Each of the two trim pockets can hold up to 5 lbs / 2.25 kg each non-ditchable pockets , located on the back of the BC
LIFT CAPACITY (LBS/LTR):	S-35/150, M-50/220, ML-50/220, L-50/220, XL-50220
COLOR:	Black/Charcoal
SIZES:	SM, MD, MK, LG, XL

4 ea Angled Stainless Steel D-rings

Valve Retention Strap

Octo-pocket and Octo-D ring

i3 Controller

Flat e-valve technology

Knife attachment points

SureLock™ II Weight System

Pocket within a Pocket (A large utility pocket and a smaller security pocket)

Part #	Description	Size	UPC Code
308401	Black/Charcoal	XS	053242 237956
308402	Black/Charcoal	MD	053242 237963
308403	Black/Charcoal	ML	053242 237970
308404	Black/Charcoal	LG	053242 237987
308405	Black/Charcoal	XL	053242 237994

AQUA LUNG® AXIOM i3

The Axiom i3 is our most comfortable and easy-to-use BC yet. It is a feature-rich, ADV style, wrap-around jacket that incorporates the innovative i3 inflation / deflation system (patented). The Integrated Wrapture™ harness system (pat. pend.) allows you to stand up straight in total comfort while the cylinder remains perfetly vertical and pulled in close. Diving has never been this comfortable. The Griplock™ tank band and buckle system makes its debut on the Axiom i3. This strong secure system makes attachment to a cylinder easier than ever before. Gone are the days of complicated web weaving and you don't have to worry about pinching your fingers with the innovative finger saver feature (pat. pend.)

- The Wrapture™ harness system, using the shoulder swivel buckles (patented) and a customized mini-back plate, provides comfort and stability while preventing "ride-up" at the surface
- The i3 Control System (patented) provides single touch control for inflation and deflation
- The low profile flat e-valves (pat. pend.) all open simultaneously when the i3 lever is depressed
- The Griplock™ tank band and buckle system provides security and easy change out of cylinders
- SureLock II weight pouches (patented) provide a simple, single-pull release. Loading is as simple as insert and "click"
- Pull down oral inflator is easy to deploy, use and stow
- A bladder retraction system is used to pull in the sides of the bladder during deflation
- An adjustable chest strap can be raised or lowered on a rail system
- A scooped octo-pocket on the top, front of the right lobe makes it easy to stow and deploy an octopus. The octopus remains visible and accessible throughout the dive
- Ability to run instruments behind the left pocket and out the scooped opening on the top, front of the lobe
- Pocket within a pocket - A small security pocket is found on the flap of a larger drop-down pocket
- Knife attachment points are found on the left lobe
- Features 5 stainless steel D-rings and 2 plastic D-rings for all of your accessories
- Right shoulder pull dump
- Rolled neck collar for comfort

AXIOM i3 SPECIFICATIONS

TYPE OF BC:	Weight-integrated, ADV style, wrap-around jacket with i3 Control System
FABRICS:	Air cell is 500D Armor™ Cordura®, Armor X™ color panels, 1050D ballistic nylon, Titanium mesh
DITCHABLE WEIGHTS:	XS - ML hold up to 20lbs / 9 kg, LG - XXL hold up to 30 lbs / 13.5 kg
NON-DITCHABLE TRIM WEIGHT:	All sizes hold up to 10 lbs / 4.5 kg of weight in two pockets on tank band
LIFT CAPACITY (LBS/LTR):	CX-31/130, S-31/130, M-36/160, ML-41/180, L-44/190, XL-47/200, XXL-54/240
COLOR:	Black/Navy/Grey
SIZES:	XS, S, M, ML, L, XL, XXL

WRAPTURE HARNESS SYSTEM PATENT PENDING

Valve Retention Strap

Guage Holder

Octo-pocket and Octo-D ring

i3 Controller

Flat e-valve technology

Knife attachment points

SureLock™ II Weight System

GripLock™ Tank Band

Part #	Description	Size	UPC Code
312370	Black/Navy/Grey	XS	053242 239196
312371	Black/Navy/Grey	SM	053242 239202
312372	Black/Navy/Grey	MD	053242 239219
312373	Black/Navy/Grey	ML	053242 239226
312374	Black/Navy/Grey	LG	053242 239233
312375	Black/Navy/Grey	XL	053242 239240
312376	Black/Navy/Grey	XXL	053242 239257

BC'S & ACCESSORIES

APEKS WTX SERIES

Apeks, the company that produces the premier line of professional diving regulators, offers a world-class modular BC system. The WTX Series comprises a selection of harnesses, buoyancy cells and accessories that enable full customization. The components provide unparalleled versatility through their modularity and may be configured to meet individual or unit requirements.

Each product has been carefully designed by the Apeks' engineering team in conjunction with subject matter experts. The WTX Series has undergone extensive field testing and all materials and components were selected for strength and durability.

WTX HARNESS

This is our most versatile harness. Solid construction coupled with durable materials make this harness a cornerstone for many applications.

- Can mount directly to a single cylinder using dual nylon cylinder bands
- Can accept an Apeks back plate for heavy loads such as twin steel cylinders
- Multiple grommet settings on the waistband allow the attachment of the SureLock™ weight system
- Open shoulder design allows diver to add or remove hardware for total customization
- Made from rugged 1050D Ballistic Nylon
- Removable crotch strap made of 2" (5cm) soft web
- 6-two inch stainless steel D-rings (2, angled, on shoulders, 2 on the hips and 2 on the crotch strap)
- 6-one inch stainless steel D-rings along the sides accommodate light canisters, argon bottles or other accessories
- 2-one inch stainless steel D-rings along the lower back are for marker buoys, reels or other accessories
- Removable back pad
- Heavy duty waist buckle made of stainless steel
- Stainless steel triloaders distribute the load between the back, waist and shoulders for a great fit
- SOLAS reflector airway hold-downs can be removed or repositioned
- Chest strap comes standard
- Includes 2ea. tank bands

Part #	Description	Size	UPC Code
388090	Apeks WTX Harness	S	053242 228503
388091	Apeks WTX Harness	M	053242 188081
388093	Apeks WTX Harness	L	053242 188098
388095	Apeks WTX Harness	XL	053242 188104

DELUXE ONE-PIECE WEBBED HARNESS

This simple, yet strong, harness can take the load of a fully rigged professional diver. It can be easily customized with the hardware of your choice.

- 12' of solid 2" (5cm) webbing with center grommet
- 2" (5cm) wide crotch strap
- 6 stainless 2" (5cm) D-rings
- Includes neoprene shoulder protectors
- 2 elastic retaining loops on shoulders and one on crotch strap
- Heavy duty stainless waist buckle
- 6 stainless serrated retainers
- Tank bands, p/n 28228, not included

***BACK PLATE NOT INCLUDED WITH DELUXE WEBBED HARNESS**

Part #	Description	UPC Code
388040	Deluxe Webbed Harness	053242 188043

apeks STAINLESS STEEL BACK PLATE

RECOMMENDED PUBLIC SAFETY PRODUCT

The backbone of any system - this cleverly designed back plate can be used with the webbed harness or inserted into the WTX Harness.

- Weighs approx. 5 lbs (2.2 kg)
- 4 each upper and lower slots accommodate nylon cylinder bands so a single cylinder can be strapped directly to the plate. Having a series of 4 slots provides lateral stability of the cylinder that traditional 2 slot plates cannot
- 3 holes at the top of the plate offer a range of height adjustments for the buoyancy cells and the cylinders. In addition, a corresponding lower center slot allows for lower band bolts that are misaligned
- 2" wide crotch strap slot
- Upper and lower perimeter holes along either side and holes along the bottom allow for the mounting of accessories
- Textured, electroplate finish and a laser-etched Apeks logo round out the look of the plate

Part #	Description	UPC Code
388030	WTX Steel Back Plate	053242 188029
388028	WTX Steel Back Plate Aluminum	053242 224758

apeks WTX3 BUOYANCY CELL

RECOMMENDED PUBLIC SAFETY PRODUCT

This single cylinder buoyancy cell can mate to the WTX Harness or directly to the back plate.

- Gussets along each side allow for a full 34 lbs of lift without compromising the overall size of the WTX3
- 4 slots allow it to be mounted to a WTX harness or back plate using upper and lower nylon cylinder bands
- 2 pairs of grommets allow the WTX3 to be bolted on if a single cylinder mounting kit is used
- A 2" (5cm) wide restriction band at the bottom of the WTX3 allows the cylinder to nestle into the inflated buoyancy cell so it doesn't get pushed away from your body
- A 2" (5cm) D-ring on the restrictor band is a convenient place to add accessories like a surface marker buoy
- The airway comes off the top back center of the cell. A safety cable inside the elliptical hose prevents hyper extension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Includes front, lower left pull dump
- Constructed from durable 840-denier nylon

Part #	Description	UPC Code
388032	WTX3–Buoyancy Cell	053242 188036

apeks WTX4 BUOYANCY CELL W/RETRACTION OPTION

RECOMMENDED PUBLIC SAFETY PRODUCT

The WTX4 is a smaller version of the WTX6 & WTX8 but it can accept single cylinders too!

- The WTX4 provides 45lbs. of lift
- The WTX4 can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using center bolts
- Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed out of 1000D Armorshield™ Cordura® to resist abrasion and fading
- Inner bag constructed from mil-spec welded fabric. This is the same fabric used in survival vests worn by US fighter pilots
- The airway comes off of the back top center of the cell.
- The airway is equipped with a dump valve.
- Features the Apeks technical inflator with brass buttons
- 2 pull dumps on inside lower left & right

Part #	Description	UPC Code
388345	WTX4 45lb Buoyancy Cell	053242 196604
388545	WTX4 45lb Buoyancy Cell w/ retraction option & PSD airway	053242 263986

BC'S & ACCESSORIES

apeks WTX SINGLE TANK ADAPTER (STA)

The single tank adapter is a great way to quickly attach a single cylinder to a back plate or the WTX harness.

- Made of 316 stainless steel
- Weighs 1 lb. 1 oz. (490g) without hardware
- Comes with 2 sets of bolts and one pair of washers and wing nuts
- 1" bolts for directly mounting to back plate
- 1.5" bolts for mounting to back plate inside WTX harness
- Nylon tank bands are not included and may be purchased separately (p/n 28228)

STA Mounted on Cylinder

Part #	Description	UPC Code
388029	Single Tank Adapter	053242 224765

apeks WTX6 & WTX8 BUOYANCY CELLS W/ RETRACTION OPTION

- These twin cylinder buoyancy cells provide 60 lbs and 85 lbs of lift respectively
- Outer bag constructed out of 1000D Armorshield™ Cordura to resist abrasion and fading
- Inner bag constructed from mil-spec welded fabric. This is the same fabric used in survival vests worn by US fighter pilots
- Inner bladder protected from zipper with V-diamond rubber
- Pull dump on inside lower left
- Optional pull dump may be added to inside lower right
- Highly efficient drains empty water quickly after the dive
- 3 upper grommets allow various height settings coupled with a lower slot that compensates for misaligned band bolts
- The airway comes off the top back center of the cell. A safety cable inside the elliptical hose prevents hyper extension of the corrugated hose
- Features the Apeks technical inflator with brass buttons

Part #	Description	UPC Code
388360	WTX6–Buoyancy Cell	053242 188067
388380	WTX8–Buoyancy Cell	053242 188074

apeks WTX6R BUOYANCY CELL W/ RETRACTION OPTION

The first of it's kind. This clever, redundant buoyancy cell has both airways coming off the back top of the cell. This is the ideal location for a diver in the swimming position.

- This redundant system contains two inner cells in one outer bag. Either cell is capable of generating 60 lbs of lift when it is full. Dive with peace of mind knowing that you're carrying a redundant system
- The WTX6R can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using center bolts
- Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed out of Armorshield™ Cordura® to resist abrasion and fading
- Inner bags constructed from mil-spec welded fabric
- A safety cable inside the elliptical hoses prevents hyper extension of the corrugated hoses
- Features the Apeks technical inflator with brass buttons
- The air cell closest to the diver has a pull dump on inside lower left with a capped-off port on the inside lower right for an optional right dump
- The air cell furthest from the diver has a pull dump on out side lower right with a capped-off port on the outside lower left for an optional left dump

Part #	Description	UPC Code
388460	WTX6R 60lb. Redundant	053242 196611

apeks SURELOCK™ WEIGHT SYSTEM

This popular accessory is ideal when it becomes necessary to add additional weight to your rig.

- Bolts directly to the WTX Harness
- Able to mount to the back plate with use of SureLock™ attachments (next page)
- Includes necessary attachment hardware plus spares
- 2" stainless adjustable D-rings on the outside of each pocket
- Features the SureLock™ (patented) mechanical weight release buckles which prevent weights from releasing until you want them to
- Each pocket holds up to 10 lbs (4.5kg) of lead
- Includes attachment grommets to mount your choice of Deep See knives

Part #	Description	UPC Code
388020	WTX SureLock™ Weight System (1pair)	053242 188012

apeks SURELOCK™ ATTACHMENTS

This unique accessory allows you to mount the SureLock™ Weight System (Patented) directly to the back plate.

- Includes necessary attachment hardware plus spares
- May be used without the SureLock™ Weight System to spread the weight of the cylinders over the hips
- 3 different grommet settings allow for proper positioning of the SureLock™ weight pockets

Part #	Description	UPC Code
388045	WTX SureLock Weight System Attachments	053242 188050

apeks AIRWAY COMPLETE

- High performance inflator with excellent flow rates
- Simple design makes for easy serviceability and dependability
- Rugged housing with solid brass buttons
- Elliptical hose for lower profile and less drag
- An internal safety cable prevents hose from being hyper extended
- Simple 90° elbow at the top

Part #	Description	UPC Code
42772	Apeks Airway Complete	053242 189859

apeks BC SIZE GUIDE

* The figures in this guide are approximate, not absolute			Measured (in inches) from center of waistband front to center of waist band back
Model	**Size**	**Waist Range**	**Over The Shoulder Range**
WTX Harness Only	MD LG XL	29-60 32-60 34-60	36-45 40-49 42-51
WTX Harness w/ SureLock™ WT System	MD LG XL	33-60 36-60 38-60	36-45 40-49 42-51

BC'S & ACCESSORIES

seaQuest AQUA LUNG BC ACCESSORIES

Increase your visibility day or night with Aqua Lung's innovative Reflector Kit.

Part #	Description	UPC Code
427047	Reflector Kit	053242 180887
427031	Waistband expander	053242 129046
28228	Universal Tank Band	053242 158817
427040	Carry Handle Kit	053242 150965
42797	Wt. Pouch - SureLock II 10LB.	053242 221337
42798	Wt. Pouch - SureLock II 16LB.	053242 221344
42767	Wt. Pouch - SureLock 10LB.	053242 170413
42768	Wt. Pouch - SureLock 16LB.	053242 170420
42752	Wt. Pouch - Deluxe 10 lbs. w/ carry handles	053242 159401
42751	Wt. Pouch - Deluxe 16 lbs. w carry handles	053242 159418
42726	Wt. Pouch - Universal 10 lbs.	053242 142441
42716	Wt. Pouch - Universal 16 lbs.	053242 141741
42718	Wt. Pouch - c size XXS only - 6 lbs.	053242 141765
427030	Blk Dmd Waistband Expander, (Requires 2) Expands 6" each	053242 133265
42754	Dump valve kit	053242 164993
427039	Removable Chest Strap Kit	053242 141710
427038	Optional Crotch Strap Kit	053242 141703
427042	Twin Tank Kit for Large Contour Backpacks	053242 161695
44822	LP Hose - 22"	053242 221351
44825	LP Hose - 25"	053242 221368
44827	LP Hose - 27"	053242 221375
44833	LP Hose - 33"	053242 221382
44836	LP Hose - 36"	053242 221399
44840	LP Hose - 40"	053242 221405
42611	BC Patch Kit with Glue	
42653	BC Patch Kit without Glue / Export	

AQUA LUNG POWERLINE INFLATORS

- Increased fill rate; now one of the highest air flows in the industry
- Environmentally sealed unit
- Dual valve for rapid exhaust and over-pressure relief
- Integrated hose clips attach to the hose

Part #	Description	UPC Code
42800	Powerline Inflator New	053242 216357
769347	Military Powerline	

BC'S & ACCESSORIES

BC SIZE GUIDE & LIFT CAPACITY

* THE FIGURES IN THIS GUIDE ARE APPROXIMATE, NOT ABSOLUTE.

MODEL	SIZE	HEIGHT	WEIGHT	WAIST RANGE	OVER THE SHOULDER	TOTAL WEIGHT	RELEASABLE WEIGHT	LIFT IN POUNDS	LIFT IN NEWTONS
PRO QD M	XS	5-5'5	100-125	25-37	32-38	20/9	20/9	27	120
	S	5'2-5'7	120-155	27-42	34-40	28/13	20/9	30	130
	M	5'7-5'10	150-165	30-45	39-45	30/13.5	20/9	35	150
	ML	5'10-6'0	160-190	32-47	41-47	30/13.5	20/9	38	160
	L	6'0-6'2	180-210	35-50	43-49	42/19	32/14.5	47	200
	XL	6'2-6'5	195-240	37-52	45-51	42/19	32/14.5	61	270
	XXL	6'2-6'5	230-270	44-59	45-51	42/19	32/14.5	61	270
BLACK DIAMOND	S	5'4-5'8	145-195	32-45	38-42	42/19	32/14.5	50	220
	M	5'7-5'11	160-210	34-47	40-44	42/19	32/14.5	50	220
	ML	5'9-6'2	175-220	36-49	42-46	42/19	32/14.5	50	220
	L	5'10-6'3	190-235	38-51	44-48	42/19	32/14.5	50	220
	XL	6'0-6'5	195-245	40-53	46-50	42/19	32/14.5	50	220

MEASUREMENT INSTRUCTIONS

Waist size in men is normally measured by placing the measuring tape around the waist, cresting the pelvic bone. This measurement is not accurate for BC fitting. The waist size in men should be measured at the height of the belly button just above the pelvic bone (Figure 1). Women's waist size is always measured just above the pelvic bone (Figure 1). This same measurement applies for BC fitting.

Over The Shoulder (OTS) measurement is taken by placing the measuring tape across either the right or left shoulder and reading the distance between the top of the waist line on the back to the top of the waist line in the front (Figure 2). Again, for this measurement in men the waistline is taken to be at the height of the belly button. When fitting the customer in his/her respective waist size and OTS range, inquire what thickness of wetsuit the BC is most likely to be worn with. Calculate about a 2" allowance for the waist measurements for thick, cold water suits.

FIGURE 1: Measuring points for waist size. **FIGURE 2:** Measuring points for OTS length.



AQUA LUNG COMPACT RETRACTOR KIT

- Removable J-clip attaches to console for attachment to exterior of BC
- Snap clip attaches to D-ring
- Console pack comes with additional threaded stud mount
- Connect to console with either a split ring or adjustable lanyard
- Designed to survive extended salt water and chlorine exposure
- Stainless steel spring and hardware
- 60 lbs. breaking strength

PART #	DESCRIPTION	UPC CODE
D745915	Compact Retractor Kit	053086 025566

AQUA LUNG RETRACTOR PLUS KIT

- Line Lock feature for securing heavy objects
- Self-cleaning mechanism
- 31" cord with high force spring
- Multiple mounting options: Can be attached inside pocket or clipped onto BC

PART #	DESCRIPTION	UPC CODE
D745914	Retractor Plus Kit	053086 020394

AQUA LUNG RETRACTOR KIT

- Self-cleaning mechanism
- 42" cord with high force spring & 12 oz. retraction force
- Attaches inside BC pocket, but cannot be clipped onto a BC
- Recommended for attachment of flashlights or cameras

Steel key-ring or plastic J-clip may be attached to cord end.

PART #	DESCRIPTION	UPC CODE
D745034	Retractor Kit	053086 745037

BC'S & ACCESSORIES

Cap-off Kit + Universal Dump Valve Kit + CO2 Assembly + Misc

CAP-OFF KIT

Key #	Part #	Description
1	***15309***	***Gasket, Connector Seal***
2	15665	Cap, Connector, Acme Thread

UNIVERSAL DUMP VALVE KIT



Key #	Part #	Description
	42754	Universal Dump Valve Kit, Acme Thread
	42722	Universal Dump Valve Kit, Std Thread, Pre-1988
1	10079	Cap, Over Pressure
2	15617	Spring
3	15650	Plate
4	***15604***	***Seal***
5	12234	Pull Knob

CO2 ASSEMBLY



Key #	Part #	Description
1	13211	CO2 Cartridge, 16 gram
2	***704014***	***Gasket***
3	13216	Nut
4	***15737***	***Nut Gasket***
5	13207	Detonator
6	***15738***	***Base Gasket***
7	12234	Pull Bob

MISCELLANEOUS

Key #	Part #	Description
n/s	42611	BC Puncture Repair Kit 4
n/s	13211	CO2 Cartridge, 16 gram, for Snorkel Vest
n/s	42720	Carabiner Clip

Part numbers in ***BOLD ITALICS*** indicate standard overhaul replacement part.

TANK HARNESSES

AQUA LUNG® MARINER TWIN PACK

Part #	Description	NSN
083400	Mariner Twin Pack	422001 2743650

AQUA LUNG® MARINER TWIN TANK HARNESS



Part #	Description	NSN
082700	Mariner Twin Tank Harness	4220013271993

AQUA LUNG® MARINER KAM PACK



Part #	Description	NSN
088150	Mariner Kam Pack	422001 4320279

TANK BANDS

AQUA LUNG® GRIPLOCK™ TANK BAND ASSEMBLY

The GripLock™ tank band assembly is the easy and safe solution for securing a cylinder to a BC.

- Modern design
- Easy to rig and adjust
- Durable metal buckle
- Innovative "Finger-Saver" feature (pat. pending) eliminates pinched fingers
- Macro-adjustment is set just once for each cylinder diameter
- Three presets cover the various diameter cylinders in the field today
- Micro-adjustment for fine tuning the fit after the band is on the cylinder
- Rubber traction pad on the backside of the GripLock™ provides added security
- Bands may be retrofitted to all BCs
- 2 sizes available – select according to cylinder and BC type

NOTE:
Griplock Tank Bands are supplied packaged as single items.

Part #	Description
428210	GripLock Tank Band, Long, non-Wrapture™ harness version, for PRO QD M, Black Diamond, and WTX Harness
428230	GripLock Tank Band, Standard Length, Wrapture™ harness version, for WTX Back Plate w/ Deluxe One-Piece Webbed Harness

AQUA LUNG® FORCE 6 LIFE JACKETS

INSTRUCTOR II
(FRONT)

INSTRUCTOR II
(BACK)

RESCUER II
(FRONT)

RESCUER II
(BACK)

Part #	Description	Size
521673	Instructor II, Red	MD/LG
521675	Instructor II, Red	XL
521683	Instructor II, Black	MD/LG
521685	Instructor II, Black	XL
521626	Rescuer, Red	MD/LG
521627	Rescuer, Red	XL
521665	Rescuer II, Red	MD/LG
521663	Rescuer II, Red	XL
521686	Leg harness, Pair, Black	Univ
521601	Extraction Leash, Black	Univ
521616	Back Pocket, Instructor, Red	Univ
521614	Back Pocket, Instructor, Black	Univ
521619	Front Pocket, Instructor, Black	Univ
521606	QR Belt, Black	M/L
521607	QR Belt, Black	XL

PFD'S & ACCESSORIES

AQUA LUNG® FORCE 6 RESCUE BAG SYSTEM

- Two bag system designed to hold important rescue accessories.
- Two independent bags zip together for modular use and flexibility
- High visibility color 1000 denier material

Rope and hardware pictured is not included

Part #	Description
521602	Force 6 Rescue Bag System

AQUA LUNG® SUBMERSIBLE MINI-GAUGES

RECOMMENDED PUBLIC SAFETY PRODUCT

- Pressure indicator screws directly into first stage HP port
- Suitable for any 1st stage diving regulator
- Low profile prevents damage and snagging
- 2 versions: 0-3000 psi or 0-350 bar

102810

Part #	Description
102810	Submersible Mini-Gauge, 0-3000 psi

AQUA LUNG® SHALLOW WATER DIVING GUAGES

- Produced for Aqua Lung by MEGA SPORTS in Italy
- 2.75" / 7cm dial face and easy to adjust wrist strap
- Copper-beryllium membrane system for reading of sensitivity and precision
- Zero adjustment system to compensate for temperature and ambient pressure
- Dial has parabolic scale to improve ease of reading
- Equipped with red pointer to set maximum depth
- Meets the CE EN 13319 norm

METER GAUGE

FEET GAUGE

Part #	Description
102094	Wrist, 0-16 Meters
102095	Wrist, 0-60 Feet

GAUGES

apeks ANALOG INSTRUMENTS

RECOMMENDED PUBLIC SAFETY PRODUCT

Apeks instruments supply clear and accurate information on your dive status. Our instruments are tested beyond normal dive limits to ensure they provide this precise information for all your dive experiences. Strong, easy to maintain housings provide years of trouble free service. You can be assured of the quality/finish of all your Apeks equipment. Our gauges and gauge consoles are designed and finished at our UK factory ensuring that every aspect reflects our commitment to quality. The gauges are stylish and fit perfectly with other products in the Apeks range, such as our world famous regulators.

SUBMERSIBLE PRESSURE GAUGE (SPG)

- The slim-line gauge case is made from nickel plated brass
- Large loop area designed into the housing for ease of attachment
- The dial range is from 0 to 5000 psi
- Uncluttered, with large black figures on a luminous background giving a long phosphorescent effect
- Made with O2 compatible materials but be sure to O2 clean before use with high percentage oxygen
- The dial window is made of highly shock resistant material (anti-splinter Polycarbonate) to protect your quality gauge
- Over pressure relief fitted in the back

Apeks SPG, Brass, 5000PSI

Console, SPG, Compass, 5000PSI

SUBMERSIBLE PRESSURE GAUGE (SPG) + COMPASS

- See SPG details above
- This unique compass is designed for ease of reading and diver comfort. For example there are 2 viewing windows so the unit can be set up for left or right handed use, at an angle which is set as the natural extension of the arm. This means that divers do not have to twist their wrist into an unnatural shape to view compass readings
- The ratchet bezel is robust and can be rotated with ease even with thick neoprene gloves
- The numbers and directions on the bezel are large and very easy to read

Console, 2 Gauge, 5000PSI, 230FT

SUBMERSIBLE PRESSURE GAUGE (SPG) + DEPTH GAUGE

- See SPG details above
- Dials have a long phosphorescent effect for better reading in poor visibility conditions
- There are 2 attachment areas integrated into the design for position flexibility
- This may be a compact design but the displays are vivid and clear - perfect for diving. For example the depth gauge spreads the first half of the scale and in total shows a range down to 230 feet
- Depth gauge has resettable max depth indicator
- Made with high shock-resistant windows, which is a must for divers

SUBMERSIBLE PRESSURE GAUGE (SPG) + DEPTH GAUGE + COMPASS

- See specifics on each individual instrument above
- All instruments give accurate, clear readings and are made from the best quality build materials. As such they offer perfect functionality and excellent robustness

Console, 3 Gauge, 5000PSI, 230FT, Compass

Backside view

An AQUA LUNG Company

Part #	Description	UPC Code
AP0633IMP	Apeks SPG, Brass, 5000 psi	053242 227452
AP0634IMP	Console, SPG, Compass, 5000PSI	053242 228473
AP0635IMP	Console, 2 Gauge, 5000PSI, 230FT	053242 228459
AP0636IMP	Console, 3 Gauge, 5000PSI 230FT, Compass	053242 228466
AP0633	Apeks SPG, Brass, 360 Bar	
AP0634	CONSOLE, SPG, COMPASS, 360 Bar	
AP0635	CONSOLE, 2 Guage, 360 BAR/70M	
AP0636	CONSOLE, 3 Guage, 360 BAR/70M, COMPASS	

SUUNTO INSTRUMENTS

SUUNTO COBRA3

The Suunto Cobra3 is engineered for avid divers and features Suunto's all new electronic 3D compass and an easy-to-read matrix display with simplified four-button operation. The Cobra3's new electronic 3D compass offers divers the unique ability to tilt the compass up to 45 degrees in any direction without impairing the ability to read figures clearly and accurately.
With two-gas switching Nitrox, Air, and Gauge modes, this air-integrated computer delivers everything you need to maximize bottom time and make the most of every dive.
Going beyond the numbers, the Suunto Cobra3 graphs your dive profile with an informative matrix display and its built-in dive simulator allows you to test potential dives without getting your fins wet.

ADVANCED FEATURES :

- Electronic 3D compass (user-adjustable time out)
- Matrix display
- 2 gas switching
- Optional Deep Stops
- Dive profile displayed graphically on the screen

OTHER MAIN FEATURES :

- 3 operating modes (Air, Nitrox, Gauge)
- Complete decompression stop data
- Suunto Deep Stop RGBM
- 42 h logbook and profile memory*
- Lifetime history memory
- Profile memory bookmark
- Cylinder pressure and remaining air time data
- 300 bar (5000 psi) compatible
- USB compatible PC-interface (optional)
- Multi step ascent rate indicator
- Personal adjustment
- Altitude adjustment 0-3000 m (0-10000 ft)
- Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Built-in dive simulator
- Calendar clock
- Alarm clock
- Electroluminescent illumination (backlight)
- User-replaceable battery
- Depth display range 0-150 m (0-450 ft)
- Audible alarms
- Max. depth alarm
- Optional quick release high-pressure connection
- Display shield
- User-selectable metric or imperial units

** Default factory setting. Can go up to 240 hours.*

Part #	Description	UPC Code
185370	Cobra 3	053242 221283
185360	Cobra 3 w/ QD and SDM	053242 221160

SUUNTO COBRA

- Complete decompression stop data
- 5000 psi compatible
- Built-in calendar/clock
- Push-button interface makes it extremely easy to use when choosing the different functions of the computer
- Comprehensive dive planning and simulation functions
- Electroluminescent illumination lights up automatically when an alarm is activated
- Extensive logbook and profile memory has a default sampling rate of 20 seconds providing 36-hours of memory which records all important dive data
- Bookmarks can be placed in the profile memory to highlight events during the dive
- Lifetime history memory storing the total number of dives, dive hours and maximum depth ever reached
- User selectable metric or imperial measurement units
- Ergonomically designed to fit easily into your hand
- Compact in size, yet has a large display with large digits
- The computer can be fitted with the SK-7 compass set in a new housing, especially designed for the Cobra
- Plus all the great features of the Vyper

Part #	Description	UPC Code
42142	Cobra	053242 156219
186850	Cobra with SK7 Compass	053242 182775
186860	Cobra Pro Pack (Includes Quick Disconnect, Compass) & SDM	053242 221177

SUUNTO INSTRUMENTS

SUUNTO VYPER

- Reduced Gradient Bubble Model (RGBM) algorithm for tracking both dissolved and free gas in the tissues of divers performing a large variety of maneuvers
- "SMART Button" feature prompts user, and gives easy access to the numerous functions of the Vyper; Easy-to-navigate menu system
- Light-weight and compact yet has a large display with large digits for easy reading
- User replaceable battery
- Automatic activation
- Built-in calendar/clock
- Dive simulator and plan mode simulator
- Adjustable electronic backlight: Set duration from 5 to 30 seconds; can be set to come on automatically during warnings
- Gauge mode for tech divers diving with exotic mixes
- Built-in safety stop feature
- Bar graphs for remaining dive time, oxygen loading and ascent rate
- Gauge mode shows depth, maximum depth, dive time, current time, temperature and ascent rate. Information is also recorded to the profile memory
- Top or back mount compass optional

NITROX FEATURES:

21-50% in 1% increments
1.2-1.6 PO2 in 0.1% increments
Reverts to 21%

EXTENSIVE MEMORY:

Logs last 36 hours
Records at 20 second intervals with ability to set at 10, 30, or 60 second intervals with PC software
History holds 999 dives and 999 hours
PC download and superior PC-software

Part #	Description	UPC Code
42182	Vyper/ 2 Gauge	053242 155298
5404	Vyper/ Wrist Unit	053242 161954

SUUNTO VYPER AIR WRISTOP COMPUTER

The Suunto Vyper Air is the newest addition to the Suunto family and includes optional wireless air integration and a technologically advanced electronic 3D compass. With wireless air integration, the Suunto Vyper Air allows divers to monitor tank pressure and air consumption from the computer on your wrist. The Vyper Air's new electronic 3D compass has user adjustable time out and offers divers the unique ability to tilt the compass up to 45 degrees in any direction without impairing the ability to read figures clearly and accurately.

The Vyper Air includes Air, Nitrox and Gauge modes and gas switching. For divers using enriched air, the Suunto Vyper Air can be programmed in one percent increments for nitrox mixtures between 21 and 100 percent oxygen.

Divers can also adjust oxygen partial pressure between 0.5 and 1.6 in 0.1 unit increments.

The Suunto Vyper Air uses the Suunto Deep Stop RGBM algorithm that features continuous decompression and optimal ascent time. For deeper dives, the Deep Stop option adds further protection with a series of "deep stops" between a diver's maximum depth and ceiling.

The Suunto Vyper Air also boasts a built-in dive simulator, allowing divers to test potential dives before dropping into the water. The Vyper Air features large digits and a Matrix display that clearly shows critical dive information including dive profile graphs. After the dive, you can download the data to your PC and easily maintain a detailed logbook.

The Suunto Vyper Air can be worn as a wrist unit with a protective boot, or mounted on a two-gauge console.

ADVANCED FEATURES :

- Electronic 3D compass (user-adjustable time out)
- Matrix display
- 2 gas switching
- Optional wireless transmitter providing cylinder pressure and remaining air data
- Optional Deep Stop
- Dive profile displayed graphically on the screen

OTHER MAIN FEATURES :

- 3 operating modes (Air, Nitrox, Gauge)
- Complete decompression stop data
- Suunto Deep Stop RGBM
- 42 h logbook and profile memory*
- Lifetime history memory
- Profile memory bookmark
- USB compatible PC interface (optional)
- Multi step ascent rate indicator
- Personal adjustment
- Altitude adjustment 0-3000 m (0-10000 ft)
- Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Built-in dive simulator
- Calendar clock
- Alarm clock
- Electroluminescent illumination (backlight)
- User-replaceable battery
- Depth display range 0-150 m (0-450 ft)
- Audible alarms
- Max. depth alarm
- Display shield and protective boot

** Default factory setting. Can go up to 240 hours.*

Part #	Description	UPC Code
185400	Vyper Air, Wrist, w/ Transmitter & USB	053242 221139
185390	Vyper Air, Wrist, (all black) w/ USB	053242 166973
5397	Transmitter for D9 / Vyper Air	053242 166973

SUUNTO INSTRUMENTS

SUUNTO D9TX WRISTOP COMPUTER

From its titanium frame to sapphire glass, everything about the Suunto D9tx is designed to impress. We've taken the Suunto D9 and made it trimix – as well as adding a 3D tilt compensated compass. It's compact enough to wear to the boardroom, but inside is a highly advanced all-in-one dive computer, with the same technical RGBM as the award-winning Suunto HelO2. You'll have all your dive-critical information on one unique and stylish device.

- Full continuous decompression algorithm (Suunto Technical RGBM)
- Gas-switching between up to 8 gases
- Trimix support including helium and oxygen
- Three modes: air, mixed gas, gauge
- Integrated tilt-compensated 3D digital compass
- Optional wireless air integration
- Titanium bracelet option
- Built-in dive planner
- Detailed graphical logs and dive data on your computer using Suunto DM4 with Movescount software, and planning of dives and gases with new Suunto Dive Planner.

SUUNTO D9tx
TITANIUM BRACELET

SUUNTO WIRELESS TANK PRESSURE TRANSMITTER

When paired with your dive computer, the Suunto Wireless tank pressure transmitter gives you your current tank pressure and remaining air time with a glance to your wristop.

- Works with Suunto D9tx, D6i, and D4i
- Also compatible with Suunto D9, HelO2, Vytec DS, and Vyper Air dive computers
- Monitor tank pressure data wirelessly from dive computer – in graphical and numerical readouts
- An estimation of remaining air time is available throughout the dive
- Track air consumption from dive to dive with Suunto DM4 with Movescount software
- Battery life is around 2 years (at 100 dives per year)

SUUNTO D9tx
ELASTOMER BRACELET

Part #	Description	UPC Code
16915	D9tx Titanium Bracelet without Transmitter	045235 905577
16914	D9tx Titanium Bracelet with Transmitter & SDM	045235 905560
16916	D9tx Elastomer Strap without Transmitter	045235 905584
16826	D9tx Elastomer Strap with Transmitter	045235 905577
5397	Transmitter for D9/Vyper Air	053242 166973
182040	D9TX Titanium i3 Bracelet Kit	

SUUNTO D6i WRISTOP COMPUTER

The Suunto D6i is the wristop dive computers of choice for those who take their diving seriously. With a new tilt-compensated 3D digital compass and wireless air integration, it's an essential tool when other people rely on your diving skills. Trusted by professional divers, its good looks make it a great addition to your more civilian wardrobe too.

- Optional wireless air integration – current cylinder pressure, remaining air time
- Integrated tilt-compensated 3D digital compass
- Full continuous decompression algorithm
- Gas-switching capability
- Four dive modes: air, nitrox, free, gauge
- Steel bracelet option
- Built-in dive planner
- Detailed graphical logs and dive data on your computer using Suunto DM4 with Movescount software

SUUNTO D6i
Elastomer Strap

SUUNTO D6i
Steel Bracelet

Part #	Description	UPC Code
185420	D6i all black Elastomer Strap with transmitter and USB cable	045235 906352
185430	D6i all black Elastomer Strap with USB cable	045235 906369
183990	D6i Steel Bracelet with transmitter	045235 905638
184000	D6i Steel Bracelet without transmitter	045235 905645
184010	D6i Elastomer Strap with transmitter	045235 905652
184020	D6i Elastomer Strap without transmitter	045235 905546
13525	D6/D6i Bracelet Kit	

SUUNTO INSTRUMENTS

SUUNTO COMPASSES

Suunto has been manufacturing compasses since the 1930's and is the world's foremost authority on compass design and manufacturing. The SK-7 has set the standard for dive compasses. The superior SK-7 features an exceptional tilt potential of +/- 30˚, which is 2-3 times larger than in conventional diving compasses, easy-to-read numerals on a phosphorescent compass card and a large side-reading window. The firm-grip bezel with a ratchet at every fifth degree is specially designed to prevent sand and dirt contamination, thus allowing smooth turning in all conditions.

The horizontal and vertical components of the earth's magnetic field vary considerably in different locations. For this reason, Suunto compasses are balanced for 5 different zones. If the compass is used in an adjacent balancing zone, the compass pointer will tilt only slightly; however, the farther a compass is used from its correct zone, the more it tilts. In some cases, the pointer will stick. Suunto compasses distributed in the United States are balanced for zone 1, which is the majority of the northern hemisphere.

SK7, WRIST UNIT | SK7, END MOUNT | SK7, BACK MOUNT | SK7, RETRACTABLE

Part #	Description	UPC Code
186570	SK7 Wrist Unit	053242 137973
186770	SK7 Top Mount	053242 156226
186730	SK7 Back Mount	053242 155366
41110	SK7, Retractable	053242 152303
413203	Retractor, SK7, w/o compass Requires compass 41108	053242 203067
745930	Retractor for Wrist Dive Computers	053242 179515
413210	Retractor plate to add compass to 745930 Requires compass 41108	053242 203074

SUUNTO ACCESSORIES

Part #	Description	UPC Code
	PC INTERFACE	
11350	PC Interface, USB Cable, Cobra / Vytec / Vyper / Mosquito	052342 189996
182140	PC Interface, D4, D6, D9, USB	053242 195508
	GENERAL ACCESSORIES	
42144	Quick Disconnect HP	053242 156493
	BATTERY KITS	
413194	Battery Kit, Vyper / Cobra / Gekko / Vytec	053242 159203
5983	Battery Kit, Mosquito and D3	053242 166867
413100	Battery Kit, Transmitter	053242 211079
	DISPLAY SHIELDS	
413204	Display Shield, Cobra	053242 161459
13145	Display Shield, Cobra2/ Cobra3	053242 211086
413202	Display Shield, Vytec / Vyper / Gekko	053242 161442
131260	Display Shield, Vyper2 / Vyper Air	053242 211093

SUUNTO DM4 WITH MOVESCOUNT SOFTWARE

Plan and track your dives with Suunto DM4 – for PC and Mac.

Plan & transfer

With the graphical planner it's easy to plan dive profiles, gases, and back-up plans. Simply export your planned gases and other dive-critical information to your wristop with the included USB cable, and you're ready to go. If you get your gases mixed at a dive shop, you can print gas mixing instructions.

Download & track

After the dive, download your dive information back to the computer. Your activity will be recorded in the logbook, where you can organize and view your dives.

Suunto DM4 is free to download and updates to any new version automatically when you are online.

Suunto DM4 is also integrated with Movescount.com, where you can see all your dives, follow your progress, add pictures or location maps, and share your adventures with friends.

SUUNTO MOVESCOUNT.COM

The online sports community where every move counts

Movescount.com is a free service that provides you with a deeper understanding of your activities, while engaging with an active online community. Share your dives online or see where others have ventured – and you can track all your land-based activities at Movescount.com too!

Once you've joined Movescount, it's easy to find friends, join groups, take part in challenges, comment on people's moves and receive comments on your moves. It also allows you to access your dive history and analysis wherever there's an internet connection.

- A free online sports community, available for everyone compatible (with PC and Mac)
- Keep track of your diving and other sports all in one place
- Enrich your dive moves with video and pictures from YouTube and Flickr
- Follow other divers and share your own experiences
- Share your dive moves on Twitter and Facebook
- Join and create groups and events
- Upload data from your Suunto diving device through Suunto DM4 with Movescount software – compatible with PC and Mac devices.
- Compatible with all Suunto devices
- Join in www.movescount.com

Now also with iPhone



Items marked with * are subject to Aqua Lung America's Minimum Retail Price Policy.

SUUNTO INSTRUMENTS

SUUNTO D-SERIES ACCESSORIES

D – SERIES USB INTERFACE CABLE

Connect to the new Dive Manager 4 (DM4) and Movescount, Suunto's online sports community, with the USB interface cable. This new interface cable, p/n 182140, has been redesigned for faster data transfer. It is not only compatible with the new D–series wrist top computers, D9tx, D6i & D4i but is also backwards compatible with the previous D-series wrist tops.

PLEASE NOTE:

- The previous D-series USB Interface Cable, p/n 12513 is not compatible with the new D-series, D9tx, D6i & D4i
- All D9tx models come with the USB interface cable. The D6i and D4i do not.

Part #	Description	UPC Code
182140	D-Series USB Interface Cable	045235 906239

SUUNTO BRACELET KITS

Upgrade the look of your favorite dive companion with one of these metal wrist bracelets. Get them out of the gear bag and on your wrist for a night on the town.

SUUNTO D6i
STEEL BRACELET

SUUNTO D9tx
TITANIUM BRACELET

Part #	Description	UPC Code
182040	D9tx Titanium Bracelet Kit	045235 906239
13525	D6/D6i Steel Bracelet Kit	053242 211055

SUUNTO HELO2

Wrist Top Computer

Suunto HelO2 is the first dive computer from Suunto with full mixed gas capability. It is rated to 120 m/393 ft and incorporates the new Suunto Technical RGBM algorithm. Based on the RGBM algorithm developed by highly recognized decompression scientist, Dr. Bruce Wienke, the Suunto Technical RGMB algorithm extends decompression flexibility into the world of technical diving.

The algorithm introduces helium tissue groups in the decompression model to enable trimix diving, as well as diving on air and nitrox. It allows eight gases to be programmed as primary or secondary gases, and enables oxygen content of 8-100%, and helium content of 0-92%. For the technical diver, the algorithm provides increased flexibility and reduces tasks while decompressing by eliminating the need to constantly monitor a slate and watch.

SUUNTO TECHNICAL DIVE PLANNER



The Suunto technical dive planner is an easy-to-use graphical planner for planning dive profiles, gases, and back-up plans. The intuitive interface enables the diver to try different variations of depth, time, gases and partial pressures without having to continously recalculate. Suunto technical dive planner calculates all changes instantly and presents the results on on easy-to-read graph. When ready, the diver can simply export the planned gases and other dive-critical information from PC to dive computer with the included USB cable – removing the need to copy all the calculations onto a slate. Divers are also provided with gas mixing instructions for their planned dive, which they can print out and give to a dive shop if not mixing themselves.

The Suunto technical dive planner enables divers to plan dive series based on real dive profiles – not planned dive profiles – making the plans for later dives in the series more accurate and realistic. The planner also allows divers to compare the planned dive and the and actual dive, helping them pinpointfuture areas of improvement in both planning and diving.

ADVANCED FEATURES :

- 8 gas switching
- Suunto technical RGBM algorithm (including helium tissues)
- Deep stops
- Matrix display
- Dive profile displayed graphically on the screen
- Seamless collaboration with dive planner
- Expanded personal adjustment

Other main features:

- Two operating modes (Mixed gas, Gauge)
- Complete decompression data
- Suunto Deep Stop RGBM
- 42h logbook and profile memory
- Lifetime history memory
- Profile memory bookmark
- Wireless tank pressure
- 300 bar compatible
- PC-interface
- Multi step ascent rate indicator
- Altitude adjustment 0-3000m (0-10000ft)
- Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Calendar clock
- Electroluminescent illumination (back light)
- User-replaceable battery
- Depth display range 0-150m (0-450ft)
- Audible alarms
- Max. depth alarm
- Display shield
- User-selectable metric or imperial units

Part #	Description	UPC Code
145060	HelO2 with USB	053242 222167
150030	HelO2 with Transmitter & USB	053242 222174

WWW.AQUALUNG.COM/MILITARYANDPROFESSIONAL

LIGHTS

AQUA LUNG® ALU SOLO

The Alu Solo is the most powerful light of its class. It is powerful, compact and offers easy one-hand use.

- Light source: 1 LED Cree XL-M 700mA /260 lumen / 8000 lux
- Beam angle is 20° / Focal distance is 5m
- Torch body: anodized aluminium alloy
- Powered by three C-cells
- Switch: Mechanical, one hand operated
- Weight in water: 316g (11oz.)
- Maximum operative depth: 300m (1000 ft)

AQUA LUNG® ALU TRIO

The Alu Trio, besides being very powerful, has a unique, flattened, elliptical shape so it fits nicely in a BC pocket

- Light source: 3 LED Cree XL-M 700mA @ 260 lumen ea. = 780 lumen / 28,000 lux
- Beam angle is 15° / Focal distance is 5m
- Torch body: anodized aluminium alloy
- Powered by: 8 AA-cells or can be used with four AA-cells
- Switch: self-locking, magnetic sliding switch, one hand operated
- Weight in water: 166g (6oz.)
- Maximum operative depth: 300m (1000 ft)

Part #	Model	UPC Code
T563800	Alu Solo Light	885941 003965
T563650	Alu Trio Light	885941 003958

AQUA LUNG® MICROMASK

- The Micromask is a revolution in mask design. Its innovative, patented structure makes it possible for the lenses to fit in the ocular orbit. Never before have lenses been so close to the eyes. This not only results in an amazingly wide peripheral view but an extremely low internal volume
- While scuba divers love it, it is sure to be a favorite amongst the free diving community
- Extra low volume makes it very easy to clear
- Features patented "cardanic" double joint buckles that rotate both up-and-down and in-and-out. This provides maximum adaptability and comfort to any head shape
- The quick counterposed push button activation make the buckle easy to use even while wearing gloves

Part #	Description	UPC Code
505495	Black/Black Silicone	053242 197427

AQUA LUNG® VENTURA+

The Ventura+ mask, a timeless classic, has been aesthetically revisited and enriched with patented Cardanic Joint buckles. Its single lens design provides a wide field of view.

- The frame has been redesigned with a fresh look that incorporates multiple colors
- The patented Cardanic Joint buckles rotate up and down as well as in and out to provide maximum adaptability to any head shape
- The quick, counterposed push button activation makes it easy to release the strap even with gloves on.
- The silicone strap has an enlarged headpiece for comfort and to prevent strap migration
- Single lens is 4mm thick and tempered to ANSI standards
- Weight = 210 grams (7 oz)
- Available in clear or black LSR silicone

Part #	Description	UPC Code
503849	Black Silicone, Black	053242 230575

Aqua Sphere® SEAL MASK

- Mask-like watertight seal for multi-sport activities
- 180° vision with curved lens
- Shatterproof polycarbonate lens
- Easy strap adjustment
- Anti-fog, anti-scratch treatment
- See Aqua Sphere Price List for additional products
- Must be purchased in quantity of 6

www.aquaspherewim.com

Part #	Description
SEAL SWIM MASK	
169800	SEAL, Clear Lens with Blk & Silver Frame
169860	SEAL Mask, Clear Lens with Clear Frame
169850	SEAL Mask, Smoke Lens with Clear Frame
169840	SEAL Mask, Smoke Lens with Black Frame
220312	Replacement Strap, Clear, 5 pack

MILITARY MASKS

AQUA LUNG® MAUI

- Low-volume, single-window design
- Black silicone skirt
- Popular mask for military and professional divers

Part #	Description	UPC Code
503350	Black Silicone	053242 104777

AQUA LUNG® WRAPAROUND

- Classic three-window design
- Available ONLY in black silicone

Part #	Description	UPC Code
502620	Black Silicone	053242 173759

AQUA LUNG® PACIFICA

- Equipped with popular purge valve
- Available ONLY in black silicone
- Classic single-window styling

Part #	Description	UPC Code
507810	Black Silicone	053242 115216

AQUA LUNG® ATLANTIS

- Classic, large volume, oval styling
- Popular with photographers
- Excellent field of vision
- Available ONLY in black silicone

Part #	Description	UPC Code
507710	Black Silicone	053242 115223

AQUA LUNG® MASKS, FINS, SNORKELS REPLACEMENT PARTS

Part #	Description	UPC Code
	MICRO MASK	
502537	Mask strap, clear, w/ retainers	053242 177016
502538	Mask strap, black, w/ retainers	053242 177023
505565	Cardanic buckles (pair)	053242 211109
	MAUI, WRAPAROUND, PACIFICA, ATLANTIS	
507709	Mask strap, black silicone	053242 221467
502608	Metal Buckle Kit, Wraparound, Pair of 2	
	MISC.	
734407	Snorkel Keeper, Impulse I, II or III (current)	053242 221450
734332	Snorkel Keeper, Separating	053242 156196
622680	Fin Strap/Buckle, Aqua Lung	053242 143417

AQUA LUNG® IMPULSE 3

IMPROVED, MORE STREAMLINED VERSION OF THE ORIGINAL!

Since its introduction in 1989, the Impulse has been the best selling snorkel in the world. Today, after continued refinement and evolution, the Impulse 3 is more streamlined and higher performing than its predecessors, the Impulse and Impulse 2.

- The Impulse 3 uses a two-valve system. If a wave breaks over the snorkel, the patented, upper, annular valve directs most of the water out before it even reaches the mouthpiece. Any water that does get past the annular valve drains out the lower valve
- The reservoir located below the mouthpiece keeps breathing path clear of excess water. In the rare event that you need to clear the Impulse 3 Snorkel, almost no breath is needed. All it takes is an easy puff
- Patented Comfo-bite mouthpieces, which eliminate jaw fatigue, are replaceable and an optional, smaller size is available
- Also available in a non-flex, standard version

Part #	Description	UPC Code
734380	Flex Green	053242 227582
734410	Flex, Silver	053242 190725
734490	Flex Black/Red	053242 220859
734385	Non Flex Green	053242 227599
734415	Non-Flex, Silver	053242 190732
734495	Non Flex Black/Red	053242 220842

AQUA LUNG® MILITARY SNORKELS

- Simple neoprene rubber design
- Option of J Tube or Flex Tube
- Secure keeper for mask strap

Part #	Description	UPC Code
736920	Military Snorkel, Black Neoprene	422000 9556535
736930	Military Snorkel, Flex, Black Neoprene	422001 2277503

FINS

AQUA LUNG® ROCKET II FINS

- Greatly improved design
- Flexible material construction for long-distance swimming
- Neutrally buoyant
- Large foot pocket
- Grommet holes for hooking up fins
- Extremely popular with military & professional divers

Rocket II

RECOMMENDED PUBLIC SAFETY PRODUCT

Part #	Description	Size	UPC Code	NSN
621130	Rocket II, Metal Buckle,	Large	053242 179256	422001 5473051
621135	Rocket II, Metal Buckle,	Super	053242 179263	422001 5473054

AQUA LUNG® ROCKET FINS

- Traditional all-rubber design
- Heavy duty construction
- One of the first vented rubber fins in North America



Rocket

Part #	Description	Size	UPC Code	NSN
621110	Rocket, Quick Release,	Large	053242 120678	422001 0156762
621100	Rocket, Original Metal Buckle		053242 105606	422001 0156762
621610	Rocket, Quick Release	Super	053242 120692	422001 2205816

AQUA LUNG® SHREDDER SAR

- Special fin for water rescue, SAR swimming, and Helo OPS.
- Heavy duty adjustable buckle with padded heel and leash.
- Large foot pocket receives large wetsuit boots and new Evo III boot from Whites.

RECOMMENDED PUBLIC SAFETY PRODUCT

Part #	Description	Size	UPC Code
621150	Shredder SAR, Yellow	Large	053242 178440
621155	Shredder SAR, Black	Large	053242 178457
621151	Shredder SAR Strap and buckle assy (pair)		053242 178464

AQUA LUNG® REPLACEMENT PARTS

Part #	Description
621502	Strap, Rocket Fin (1), Old Model
622680	Strap / Buckle Assy, Quick Release (1 of each strap and buckle)
621131	Metal Buckle Kit for Rocket old & Rocket II (pair of 2 for 1 fin)
621132	Fin Strap, Rocket II
621151	Shredder SAR Strap / Buckle Assy (pair)
621120	Buckle Kit / Metal (Zeech Frame & Post) And MIDCC

AQUA LUNG® HOTSHOT

Designed with the traveling diver in mind, this amazing fin packs power and comfort in a small package. It offers:

- Unsurpassed comfort
- Compactness for carry-on travel
- Power for a fully-outfitted scuba diver

COMFORT

- The foot pocket is designed to be worn with bare feet!
  - o The top and sides of the foot pocket are soft against bare skin
  - o Neoprene socks or thin-soled boots may be used for thermal protection
  - o Unique, self-adjusting Comfo-strap is buckle free. This particular type of elastomer guarantees comfort
  - o Mid-foot Flex Joint
    - The blade attaches to the sides of the foot pocket rather than at the front of the foot pocket.
    - Prevents hyper-extension of the toes and ankles
    - Maximizes the transfer of power from the leg to the fin

COMPACT AND LIGHT WEIGHT

- Fits in carry-on luggage! Ideal with new Departure bag from Deep See.
- Measures only 20.9 in. / 53 cm overall length
- Size regular weighs only 3.28 lbs / 1.5 kg

POWER

- Due to the Mid-Foot Flex Joint, the entire length of blade flexes and provides for ward thrust. With a traditional fin, the third of the blade in front of the foot pocket is considered dead space and provides no forward thrust. The result is that the Hot Shot provides the power of a fin that is 30% longer!
- Geared with silicone slings (Power Bands). These pure silicone slings are loaded with energy during the power stroke, which they release prior to the upstroke
- Twin-Speed Gear Shift
  - o The silicone Power Bands form the HotShot gear system
  - o The gear shift allows the diver to choose the best speed-to effort ratio
  - o Divers can change gear settings while wearing the fins
- The blade is made of a semi rigid customized technopolymer. The result is an excellent spring effect and flexibility to maximize thrust.
- The rubberized ribs are made of two different elastomeric compounds to provide the greatest elasticity

OTHER FEATURES:

- Comes in three sizes: small, regular, large/x-large
- Anti-slip rubber pads on the bottom of fin keep divers safe on boat decks
- Grooves along inside bottom of foot pocket prevent foot from being vacuum-sealed in foot pocket making doffing easy
- Power bands are protected on the bottom to prevent contact with the ground

Foot pocket and Comfo-strap

Twin-Speed Gear Shift

Part #	Description	Size	UPC Code
62906	Green	Small	053242 229579
62907	Green	Regular	053242 229586
62908	Green	Large / X-large	053242 229593

FINS

AQUA LUNG® EXPRESS ADJ

The Express fin is now available in an open-heel version. The Express ADJ fin represents the latest in technology and material innovation. Comfort, power and efficiency are the hallmarks of this propulsion machine. Strap a pair on and see for yourself.

The Express fin works on the same principle as the popular Slingshot and Hotshot fins. The function of the Slingshot power bands has been converted into the Express "Armadillo". This patented, elongated membrane is made from ultra-elastic rubber. Like power bands, it accumulates elastic energy during the down stroke and returns it at the end of each kick cycle.

The Armadillo also bridges the gap between the front of the foot pocket and the back of the blade, which eliminates any water transfer through the fin.

- The blade connects halfway back on the foot pocket at the Mid-Foot Flex Joint. This eliminates hyper-extension of the toes and ankles.
- The foot pocket is not only comfortable, but provides different thickness zones which properly secure the foot to the blade for maximum energy transfer.
- Rubber side ribs channel the water down the length of the fin minimizing the spill-over effect.
- Features the ESBS (Ergonomic Strap and Buckle System). The protruding press – to- release buttons can be operated easily even while wearing thick gloves.
- The strap, made of rubber with anti-aging compounds, has three convenient loops. This makes strap easy to tighten or pull up over the heel even with the thickest of gloves
- Over-sized, anti-slip rubber pads on the bottom of the fin

Part #	Description	Size	UPC Code
62920	Orange	Small	053242 235877
62921	Orange	Regular	053242 235891
62922	Orange	Large / X-large	053242 235907
62923	Black	Small	053242 238311
62924	Black	Regular	053242 238328
62925	Black	Large / X-large	053242 238335

WHITES DRYSUIT

For complete product details - see the Whites Public Safety & Commercial North American Buyers Guide 2012

HAZMAT PS DRYSUIT (PUBLIC SAFETY HAZMAT DIVER)

- Chemical resistant polyurethane inside and out
- Interior and exterior tape welded seams
- Tear and puncture resistant nylon core
- Comfort boots with 7mm liner
- Permanently attached dry glove rings
- Replaceable wrist seals
- Contaminated water dual exhaust valve
- Standard inlet inflation valve
- Attached Polytex hood and neck seal
- Easy to clean and decontaminate

SIZES
XS, S, SK, M, MT, L, LT, LK, XL, XLK, 2XL, 3XL, 4XL

An AQUALUNG Company

KODIAK 360 DRYSUIT (DIVE OR SURFACE)

- Patented Captive Suspension Panel around waist & knees for flexibility
- Tough Quadflex nylon
- 2 pocket Matrix Base Plates & 1 Compak Pocket
- Polytex neck seal and bell shaped wrist seals
- Air control knee pads
- Supplied with Multi-Laminate Shell Socks that match EVO 3 Boots
- S.A.R. Version (shown) with Reflective Armband ("S.A.R." or "RESCUE")
- Law Enforcement (L.E.) version color: black with no reflective piping
- Dive and Surface variants available

SIZES
S, SK, M, MK, L, LK, XL, XLK, 2XL, 3XL.

An AQUALUNG Company

WHITES DRYSUIT

For complete product details - see the Whites Public Safety & Commercial North American Buyers Guide 2012

FUSION DRYSUIT (Law Enforcement & SAR Versions)

- Unmatched flexibility & mobility
- Compact, lightweight, and streamlined design
- Patented Fusion Dry Core Technology
- Oversized inner dry core with external tactical designed skin
- Easy self-entry and self exit
- Exterior skin of 1mm super stretch neoprene, reinforced in high wear areas
- Removable 2mm neoprene inserts at elbows/knees for durability and comfort
- Supplied with Multi-Laminate Shell Socks that match Fusion or EVO 3 Boots
- Pockets Available
- S.A.R. Version with Reflective Piping and Armband ("S.A.R." or "RESCUE")
- Law Enforcement (L.E.-shown) version color: black with no reflective piping
- Dive and Surface variants available

SIZES
2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+

An AQUA LUNG Company

THERMAL FUSION UNDERGARMENT

- Thermal Fusion is recommended for use with all dry suits
- Delivers extreme mobility and superior warmth
- Integrated pockets and easy access comfort zip
- Dual-layer: outer stretch skin encapsulates inner thermal (fleece) core
- ATS (Air Transfer System) for effective transport of air throughout garment
- Hi-Flo Mesh Panels located at inflate/exhaust valve locations increase air-flow, padding and insulation
- Thermal performance independently lab tested
- Thumb loops and foot stirrups for easy donning
- Machine washable.

SIZES
2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+

An AQUA LUNG Company

MILITARY WETSUITS

AQUA LUNG® ISOFLEX 2 PIECE MILITARY WET SUIT

- All black color with black logo graphics
- Back zip 5mm jacket with 6.5mm sleeves
- Chest zip on 7mm Farmer John
- 7mm on Framer torso and legs
- 6.0mm flex panels behind knees on Farmer John
- 6.0mm inside arms and on shoulders
- Leg gasket locks with adjustable ankles
- Knee pads

RECOMMENDED PUBLIC SAFETY PRODUCT

Part #	Description	Color	Size
4040772	Isoflex X2, 7mm Suit, J/J	Black	Med
4040773	Isoflex X2, 7mm Suit, J/J	Black	ML
4040774	Isoflex X2, 7mm Suit, J/J	Black	LGE
4040775	Isoflex X2, 7mm Suit, J/J	Black	XL
4040776	Isoflex X2, 7mm Suit, J/J	Black	XXL

AQUA LUNG® 7MM JUMP MILITARY WET SUIT

- All black color with black logo graphics
- 7mm 4-way high stretch throughout
- Skin-in neck seal
- Glued and blind stitched seams
- Spine and kidney pads
- Pre-bent anatomic legs and arms
- Durable and stretchy knee pads

ALSO AVAILABLE IN RED/BLACK - SPECIAL ORDER

RECOMMENDED PUBLIC SAFETY PRODUCT

Part #	Description	Color	Size
4040752	Aquaflex Jump, 7mm Suit, J/J	Black	Med
4040753	Aquaflex Jump, 7mm Suit, J/J	Black	ML
4040754	Aquaflex Jump, 7mm Suit, J/J	Black	LGE
4040755	Aquaflex Jump, 7mm Suit, J/J	Black	XL
4040756	Aquaflex Jump, 7mm Suit, J/J	Black	XXL

WETSUITS

AQUA LUNG® 8/7MM SOLAFX WETSUIT

What? You don't like getting cold? Nobody does! Those diving the 8/7 mm SolAFX have found the secret to staying warm. The SolAfx is Aqua Lung's most advanced cold water wetsuit. This across-the-chest zipper, hood-attached suit is made entirely out of four-way stretch AquaFlex 8mm and 7mm neoprene so you can be warm and comfortable at the same time.

- Torso is made of 8mm, four-way stretch AquaFlex neoprene while the legs and sleeves are made of 7mm AquaFlex. These are the thicknesses of the base neoprene before the nylon gets added
- Upgraded materials
  - Outer fabric is a tighter weave making it more hook and loop resistant
  - Inner fabric is soft and easy to don
  - Non-petroleum based neoprene raw material is more environmentally friendly
- Liquid Seam Technology enhances the durability and integrity of the seams
- The attached hood not only prevents cold water from entering the neck, it also features "Vent G2" technology that allows trapped regulator exhaust bubbles to exit while keeping cold water out
- The "Plasmaloc" zipper has tighter tolerances and a unique integrated tooth design that make the zipper more water resistant than most competitors models
- A water dam covers the neck and shoulders to add another level of thermal protection against any water ingress through the zipper
- "Skin-in" gasket seals in the forearms and calves minimize water entry through the sleeves and legs
- Improved kneepads offer increased flexibility and are more resistant to abrasion
- Fresh graphics make the suit more fun and exciting

Men's Colors: Black / Red
Men's Sizes: XS, SM, MD, ML, MLL, LG, LL, LS, XL, XLL, XLS, XXL, 3XL

Donning Tip

Doffing Tip

Part #	Description	Color	Size	UPC Code
4040100	8mm, Men's	Black/Red	XS	053242 236591
4040101	8mm, Men's	Black/Red	SM	053242 236607
4040102	8mm, Men's	Black/Red	MD	053242 236614
4040103	8mm, Men's	Black/Red	ML	053242 236621
4040103L	8mm, Men's	Black/Red	MLL	053242 236645
4040104	8mm, Men's	Black/Red	LG	053242 236638
4040104L	8mm, Men's	Black/Red	LL	053242 236652
4040104S	8mm, Men's	Black/Red	LS	053242 236669
4040105	8mm, Men's	Black/Red	XL	053242 236676
4040105L	8mm, Men's	Black/Red	XLL	053242 236683
4040105S	8mm, Men's	Black/Red	XLS	053242 236690
4040106	8mm, Men's	Black/Red	XXL	053242 236706
4040107	8mm, Men's	Black/Red	3XL	053242 236713

AQUA LUNG 5MM SOLAFX WETSUITS

From California summers to Florida winters and everything in between, the 5mm SolAFX answers the call. The 5mm SolAFX is based upon Aqua Lung's most advanced cold water wetsuit, the 8/7mm SolAFX. It can be a perfect seasonal suit when the water temperature is in the 60s and 70s. This across the chest zipper, hood-attached suit is made entirely out of four-way stretch AquaFlex 5mm neoprene so you can be warm and comfortable at the same time.

- 5mm thick AquaFlex material throughout. This is the thickness of the base neoprene before the nylon layers get added
- Outer fabric is a tighter weave making it more hook and loop resistant
- Inner fabric is super-soft for extra comfort against bare skin
- Non-petroleum based neoprene raw material is more environmentally friendly
- Seams are glued and double blind stitched
- The attached hood not only prevents cold water from entering the neck, it also features "Vent G2" technology that allows trapped regulator exhaust bubbles to exit while keeping cold water out
- Easy trim face seal on the hood
- The "Plasmaloc" zipper has tighter tolerances and a unique integrated tooth design that make the zipper more water resistant than most competitors models
- A water dam covers the neck and shoulders to add another level of thermal protection against any water ingress through the zipper
- "Skin-in" gasket seals in the forearms and calves minimize water entry through the sleeves and legs
- Kidney pad fills void in lower back to keep water out
- Improved kneepads offer increased flexibility and are more resistant to abrasion
- Pre-bent arms and legs
- Lycra trimmed wrists and ankles for added durability
- Fresh graphics make the suit more fun and exciting

Men's Colors: Black / Charcoal
Men's Sizes: XS, SM, MD, ML, MLL, LG, LL, LS, XL, XLL, XLS, XXL, 3XL

Donning Tip



Doffing Tip

Part #	Description	Color	Size	UPC Code
4040120	5mm, Men's	Charcoal	XS	053242 241946
4040121	5mm, Men's	Charcoal	SM	053242 241953
4040122	5mm, Men's	Charcoal	MD	053242 241953
4040123	5mm, Men's	Charcoal	ML	053242 241977
4040123L	5mm, Men's	Charcoal	MLL	053242 241984
4040124	5mm, Men's	Charcoal	LG	053242 241991
4040104L	5mm, Men's	Charcoal	LL	053242 242004
4040124S	5mm, Men's	Charcoal	LS	053242 242011
4040125	5mm, Men's	Charcoal	XL	053242 242028
4040125L	5mm, Men's	Charcoal	XLL	053242 242035
4040125S	5mm, Men's	Charcoal	XLS	053242 242042
4040126	5mm, Men's	Charcoal	XXL	053242 242059
4040127	5mm, Men's	Charcoal	3XL	053242 242066

WETSUITS

AQUA LUNG® AQUAFLEX 7MM JUMPSUIT

The AquaFlex Jumpsuit was developed for bodies in motion. The suit is built with AquaFlex neoprene, the greatest wetsuit innovation to come along in many years. AquaFlex has three times the stretch of standard neoprene. What does this mean for you? It means a wetsuit that is easy to get on and take off. It means a wetsuit that not only conforms to your body shape but allows you to move and stretch with minimal restriction. AquaFlex not only boasts great stretching ability but an excellent thermal insulation capacity to keep you warm too.

- 7mm AquaFlex 4-way high stretch neoprene used throughout. This is the thickness of the base neoprene before the nylon layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- Inner fabric is soft and easy to don
- Non-petroleum based neoprene raw material is more environmentally friendly
- Skin-in neck seal provides comfortable stretch and seals out water. Closes with hook n loop.
- Heavy duty non-corrosive metal zipper for durability
- Glued and blindstitched seams
- Three way zipper seal minimizes water entry
- Spine pad is integrated as part of three way zipper seal
- Kidney pad for additional insulation in this high heat loss area
- Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort
- Ultra stretch wrist and ankles

Men's Colors: Black / Charcoal
Men's Sizes: XS, SM, MD, ML, MLL, LG, LL, LS, XL, XLL, XLS, XXL, 3XL

Part #	Description	Color	Size	UPC Code
4040520	7mm Men's	Black / Charcoal	XS	053242 242622
4040521	7mm Men's	Black / Charcoal	SM	053242 242639
4040522	7mm Men's	Black / Charcoal	MD	053242 242646
4040523	7mm Men's	Black / Charcoal	ML	053242 242653
4040523L	7mm Men's	Black / Charcoal	MLL	053242 242660
4040524	7mm Men's	Black / Charcoal	LG	053242 242677
4040524L	7mm Men's	Black / Charcoal	LL	053242 242684
4040524S	7mm Men's	Black / Charcoal	LS	053242 242691
4040525	7mm Men's	Black / Charcoal	XL	053242 242707
4040525L	7mm Men's	Black / Charcoal	XLL	053242 242714
4040525S	7mm Men's	Black / Charcoal	XLS	053242 242721
4040526	7mm Men's	Black / Charcoal	XXL	053242 242738
4040527	7mm Men's	Black / Charcoal	3XL	053242 242745

AQUA LUNG AQUAFLEX 5MM JUMPSUIT

Whether 5mm neoprene is for seasonal needs or year-round needs, this will quickly become your favorite suit. What's not to like? The AquaFlex 5mm jumpsuit is comfortable, warm and looks good too! From its functional kneepads to its sharp graphics, attention to detail is evident throughout.

- 5mm AquaFlex 4-way high stretch neoprene used throughout. This is the thickness of the base neoprene before the nylon layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- Inner fabric is soft and easy to don
- Non-petroleum based neoprene raw material is more environmentally friendly
- Skin-in neck seal provides comfortable stretch and seals out water. Closes with hook n loop.
- Heavy duty non-corrosive metal zipper for durability
- Glued and blindstitched seams
- Three way zipper seal minimizes water entry
- Spine pad is integrated as part of three way zipper seal
- Kidney pad for additional insulation in this high heat loss area
- Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort
- Ultra stretch wrist and ankles

Men's Colors: Black / Charcoal
Men's Sizes: XS, SM, MD, ML, MLL, LG, LL, LS, XL, XLL, XLS, XXL, 3XL

Part #	Description	Color	Size	UPC Code
4040540	5mm, Men's	Black / Charcoal	XS	053242 242851
4040541	5mm, Men's	Black / Charcoal	SM	053242 242868
4040542	5mm, Men's	Black / Charcoal	MD	053242 242875
4040543	5mm, Men's	Black / Charcoal	ML	053242 242882
4040543L	5mm, Men's	Black / Charcoal	MLL	053242 242899
4040544	5mm, Men's	Black / Charcoal	LG	053242 242905
4040544L	5mm, Men's	Black / Charcoal	LL	053242 242912
4040544S	5mm, Men's	Black / Charcoal	LS	053242 242929
4040545	5mm, Men's	Black / Charcoal	XL	053242 242936
4040545L	5mm, Men's	Black / Charcoal	XLL	053242 242943
4040545S	5mm, Men's	Black / Charcoal	XLS	053242 242950
4040546	5mm, Men's	Black / Charcoal	XXL	053242 242967
4040547	5mm, Men's	Black / Charcoal	3XL	053242 242974

WETSUITS

AQUA LUNG® AQUA FLEX 3MM JUMPSUIT

The high quality AquaFlex 3mm jumpsuit is one of the warmest and most durable on the market today. Not only does it boast soft and stretchy AquaFlex material, it has now been upgraded to glued and blind stitched seams as well. You love to dive, you deserve a comfortable warm suit.

- 3mm Aqua Flex 4-way high stretch neoprene used throughout.
  This is the thickness of the base neoprene before the nylon layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- Inner fabric is soft and easy to don
- Non-petroleum based neoprene raw material is more environmentally friendly
- Skin-in neck seal provides comfortable stretch and seals out water.
  Closes with hook n loop
- Heavy duty non-corrosive metal zipper for durability
- Glued and blind stitched seams
- Back zipper water shield
- Pre-Bent Anatomic legs
- The knee pads are durable and stretchy for comfort
- Ultra stretch wrist and ankles

Men's Colors: Black / Navy / Charcoal and Black / Charcoal
Sizes: XS, SM, MD, ML, MLL, LG, LL, LS, XL, XLL, XLS, XXL, 3XL

Part #	Description	Color	Size	UPC Code
4040690	3mm, Men's	Black/Navy/Charcoal	XS	053242 243650
4040691	3mm, Men's	Black/Navy/Charcoal	SM	053242 243667
4040692	3mm, Men's	Black/Navy/Charcoal	MD	053242 243674
4040693	3mm, Men's	Black/Navy/Charcoal	ML	053242 243681
4040693L	3mm, Men's	Black/Navy/Charcoal	MLL	053242 243698
4040694	3mm, Men's	Black/Navy/Charcoal	LG	053242 243604
4040694L	3mm, Men's	Black/Navy/Charcoal	LL	053242 243711
4040694S	3mm, Men's	Black/Navy/Charcoal	LS	053242 243728
4040695	3mm, Men's	Black/Navy/Charcoal	XL	053242 243735
4040695L	3mm, Men's	Black/Navy/Charcoal	XLL	053242 243742
4040695S	3mm, Men's	Black/Navy/Charcoal	XLS	053242 243759
4040696	3mm, Men's	Black/Navy/Charcoal	XXL	053242 243766
4040697	3mm, Men's	Black/Navy/Charcoal	3XL	053242 243773
4040700	3mm, Men's	Black/Navy	XS	053242 243780
4040701	3mm, Men's	Black/Navy	SM	053242 243797
4040702	3mm, Men's	Black/Navy	MD	053242 243803
4040703	3mm, Men's	Black/Navy	ML	053242 243810
4040703L	3mm, Men's	Black/Navy	MLL	053242 243827
4040704	3mm, Men's	Black/Navy	LG	053242 243834
4040704L	3mm, Men's	Black/Navy	LL	053242 243841
4040704S	3mm, Men's	Black/Navy	LS	053242 243858
4040705	3mm, Men's	Black/Navy	XL	053242 243865
4040705L	3mm, Men's	Black/Navy	XLL	053242 243872
4040705S	3mm, Men's	Black/Navy	XLS	053242 243889
4040706	3mm, Men's	Black/Navy	XXL	053242 243896
4040707	3mm, Men's	Black/Navy	3XL	053242 243902

AquaFlex WETSUIT SIZE CHART

SIZE	WEIGHT	HEIGHT	WAIST	CHEST	INSEAM	TORSO
XS	125-135 LBS.	5'5"-5'5"	29-31	34-36	26"	26"
SM	135-150 LBS.	5'7"-5'9"	31-33	36-38	27"	27"
MD	150-170 LBS.	5'9"-5'11"	33-35	38-40	28"	28"
ML	155-175 LBS.	5'9.5"-5'10.5"	34-36	39-41	28.5"	28.5"
ML LONG	165-185 LBS.	5'10"-6'0"	34-36	39-41	30"	30"
LG	170-190LBS.	5'10"-6'0"	35-37	40-42	29"	29"
L LONG	175-195LBS.	6'2"-6'4"	35-37	40-42	31"	31"
L SHORT	160-180 LBS.	5'7"-5'9"	35-37	40-42	27.5"	28"
XL	190-210 LBS.	5'11"-6'1"	37-39	42-44	30"	30"
XL LONG	190-215 LBS.	6'3"-6'5"	37-39	42-44	32"	32"
XL SHORT	180-200 LBS.	5'8"-5'10"	37-39	42-44	28"	28"
XXL	210-230 LBS.	6'0"-6'2"	39-41	44-46	31"	31"
3XL	230-250 LBS.	6'1"-6'3"	41-44	46-48	31"	31"

STANDARD FEATURES FOR THE AQUA FLEX LINE INCLUDE...



DEEP SEE WETSUIT SIZE CHART

SIZE	WEIGHT	HEIGHT	WAIST	CHEST
SM	140-155 LBS.	5'6"-5'8"	30-31	35-36
MD	150-165 LBS.	5'8"-5'10"	31-33	36-38
ML	160-180 LBS.	5'9"-6'0"	33-35	38-40
LG	175-195 LBS.	5'11"-6'1"	35-37	40-42
XL	190-220 LBS.	6'0"-6'3"	36-39	42-44
XXL	210-230 LBS.	6'1"-6'4"	38-42	43-46
XXXL	220-240 LBS.	6'2"-6'5"	41-44	45-48
XXXXL	230-250 LBS.	6'2"-6'5"	43-46	47-50

* THE FIGURES IN THIS GUIDE ARE APPROXIMATE, NOT ABSOLUTE.

HOODED VESTS

AQUA LUNG® 6/5/3MM HOODED VEST

The 6/5/3mm hooded vest is a popular accessory to provide additional warmth to any of our jumpsuits. The different thicknesses have been strategically placed for easy donning and doffing as well as properly insulating high heat-loss areas.

- The hood is 6mm thick with a 4mm skin-in face seal which can be easily trimmed
- The vest has 5mm front and back panels with 3mm sides for ease of donning and doffing
- A bubble vent built into the hood allows trapped exhaust bubbles from the regulator to escape Seams are glued and blindstitched

Color: Black / Charcoal
Men's Sizes: SM, MD, ML, LG, XL, XXL, 3XL

Part #	Description	Color	Size	UPC Code
40581	6/5/3mm, Men's	Black	SM	053242 247399
40582	6/5/3mm, Men's	Black	MD	053242 247405
40583	6/5/3mm, Men's	Black	ML	053242 247412
40584	6/5/3mm, Men's	Black	LG	053242 247429
40585	6/5/3mm, Men's	Black	XL	053242 247436
40586	6/5/3mm, Men's	Black	XXL	053242 247443
40587	6/5/3mm, Men's	Black	3XL	053242 247450

AQUALUNG 7/4 SEAHOOD FLEX

- Made entirely of HS200 high stretch neoprene for exceptional comfort and fit
- 7mm HS200 high stretch neoprene cranium and 4mm HS200 high stretch bib
- 4mm HS200 high stretch skin-in neoprene face seal left unbound to allow for custom trimming
- Unique vent design releases air trapped at the top of the head
- Waterproof glued & blind stitched seams
- Hanging loop located at top for easy drying
- Descriptive hang tag attached to hanging loop

Part #	Model	Size	UPC Code
1000996	Men's 7/4 Seahood Flex	XS	053086 017042
1000997	Men's 7/4 Seahood Flex	SM	053086 017059
1000998	Men's 7/4 Seahood Flex	MD	053086 017066
1000999	Men's 7/4 Seahood Flex	LG	053086 017073
1001000	Men's 7/4 Seahood Flex	XL	053086 017080
1001001	Men's 7/4 Seahood Flex	XXL	053086 017097

AQUALUNG 7/4 SEAHOOD

- 7mm neoprene cranium and 4mm bib
- Color coded size markings on bib for easy identification in rental programs
- 4mm skin-in neoprene face seal left unbound to allow for custom trimming
- Unique vent design releases air trapped at the top of the head
- Waterproof glued & blind stitched seams
- Hanging loop located at top for easy drying
- Descriptive hang tag attached to hanging loop

Part #	Model	Size	UPC Code
1001002	Men's 7/4 Seahood	XS	053086 017103
1001003	Men's 7/4 Seahood	SM	053086 017110
1001004	Men's 7/4 Seahood	MD	053086 017127
1001005	Men's 7/4 Seahood	LG	053086 017134
1001006	Men's 7/4 Seahood	XL	053086 017141
1001007	Men's 7/4 Seahood	XXL	053086017158

AQUALUNG 7/4 DRYHOOD FLEX

- Made entirely of HS200 high stretch neoprene for exceptional comfort and fit
- 7mm HS200 high stretch neoprene cranium and 4mm HS200 high stretch skin-in neoprene face and neck seals.
- Face area left unbound to allow for custom trimming
- Unique vent design releases air trapped at the top of the head
- Waterproof glued & blind stitched seams
- Hanging loop located at top for easy drying
- Designed for use with drysuits
- Descriptive hang tag attached to hanging loop

Part #	Model	Size	UPC Code
1000991	Men's 7/4 Dryhood Flex	SM	053086 016991
1000992	Men's 7/4 Dryhood Flex	MD	053086 017004
1000993	Men's 7/4 Dryhood Flex	LG	053086 017011
1000994	Men's 7/4 Dryhood Flex	XL	053086 017028
1000995	Men's 7/4 Dryhood Flex	XXL	053086 017035

AQUALUNG 1.5MM SEAHOOD

- 1.5mm neoprene for moderate warmth
- Face area left unbound to allow for trimming
- Durable flat lock construction
- Hanging loop located at top for easy drying
- Descriptive hang tag attached to hanging loop

Part #	Model	Size	UPC Code
1001172	Men's 1.5mm Seahood	SM	053086 019985
1001173	Men's 1.5mm Seahood	MD	053086 019992
1001175	Men's 1.5mm Seahood	LG	053086 020004
1001176	Men's 1.5mm Seahood	XL	053086 020011
1001177	Men's 1.5mm Seahood	XXL	053086 020028

GLOVES

AQUA LUNG® ALEUTIAN KEVLAR GLOVE

- Durable Kevlar on palms, fingers & back of fingertips for superior abrasion resistance
- Thermal FLEX 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- Elastic closure minimizes water exchange
- Available in 3mm & 5mm
- Packaged in reusable mesh bag with hang tag

Reusable Mesh Bag

Part #	Model	Size	UPC Code
D339111	Men's 3mm Kevlar Aleutian	XS	053086 004073
D339112	Men's 3mm Kevlar Aleutian	SM	053086 004080
D339113	Men's 3mm Kevlar Aleutian	MD	053086 004097
D339115	Men's 3mm Kevlar Aleutian	LG	053086 004103
D339116	Men's 3mm Kevlar Aleutian	XL	053086 004110
D359111	Men's 5mm Kevlar Aleutian	XS	053086 004127
D359112	Men's 5mm Kevlar Aleutian	SM	053086 004134
D359113	Men's 5mm Kevlar Aleutian	MD	053086 004141
D359115	Men's 5mm Kevlar Aleutian	LG	053086 004158
D359116	Men's 5mm Kevlar Aleutian	XL	053086 004356
D359117	Men's 5mm Kevlar Aleutian	XXL	053086 013921

AQUA LUNG® THERMOCLINE KEVLAR GLOVE

- Durable Kevlar on palms, fingers & back of fingertips for superior abrasion resistance
- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers helps minimize hand fatigue
- Adjustable cinch closure at wrist
- Available in 3mm & 5mm
- Packaged in a reusable mesh bag with hang tag

Reusable Mesh Bag

Part #	Model	Size	UPC Code
D330131	Men's 3mm Kevlar Glove	XS	053086 015123
D330132	Men's 3mm Kevlar Glove	SM	053086 015130
D330133	Men's 3mm Kevlar Glove	MD	053086 015147
D330135	Men's 3mm Kevlar Glove	LG	053086 015154
D330136	Men's 3mm Kevlar Glove	XL	053086 015161
D330137	Men's 3mm Kevlar Glove	XXL	053086 015178
D350132	Men's 5mm Kevlar Glove	SM	053086 015185
D350133	Men's 5mm Kevlar Glove	MD	053086 015192
D350135	Men's 5mm Kevlar Glove	LG	053086 015208
D350136	Men's 5mm Kevlar Glove	XL	053086 015215
D350137	Men's 5mm Kevlar Glove	XXL	053086 015222

AQUA LUNG® THERMOCLINE FLEX GLOVE

- Made entirely of HS200 high stretch neoprene that stretches to over 200% of it's original size for exceptional comfort, fit and dexterity
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for protection & added grip
- Available in 3mm & 5mm
- Packaged in reusable mesh bag with hang tag

Replaces Part #:
D33901
D35901

Reusable Mesh Bag

Part #	Model	Size	UPC Code
D330121	Men's 3mm Flex Glove	XS	053086 015024
D330122	Men's 3mm Flex Glove	SM	053086 015031
D330123	Men's 3mm Flex Glove	MD	053086 015048
D330125	Men's 3mm Flex Glove	LG	053086 015055
D330126	Men's 3mm Flex Glove	XL	053086 015062
D350121	Men's 5mm Flex Glove	XS	053086 015079
D350122	Men's 5mm Flex Glove	SM	053086 015086
D350123	Men's 5mm Flex Glove	MD	053086 015093
D350125	Men's 5mm Flex Glove	LG	053086 015109
D350126	Men's 5mm Flex Glove	XL	053086 015116

AQUA LUNG® THERMOCLINE GLOVE

- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for durability & added grip
- Adjustable cinch closure at wrist
- Available in 3mm & 5mm
- Packaged on hanging header card

Replaces Part #:
D33101
D35101

Part #	Model	Size	UPC Code
D330111	Men's 3mm Thermocline	XS	053086 014904
D330112	Men's 3mm Thermocline	SM	053086 014911
D330113	Men's 3mm Thermocline	MD	053086 014928
D330115	Men's 3mm Thermocline	LG	053086 014935
D330116	Men's 3mm Thermocline	XL	053086 014942
D330117	Men's 3mm Thermocline	XXL	053086 014959
D350111	Men's 5mm Thermocline	XS	053086 014966
D350112	Men's 5mm Thermocline	SM	053086 014973
D350113	Men's 5mm Thermocline	MD	053086 014980
D350115	Men's 5mm Thermocline	LG	053086 014997
D350116	Men's 5mm Thermocline	XL	053086 015000
D350117	Men's 5mm Thermocline	XXL	053086 015017

GLOVES

AQUA LUNG® ALEUTIAN GLOVE

- Thermal FLEX 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- Silicone tactiles on the palm provide excellent grip when wet
- Elastic closure minimizes water exchange
- Available in 3mm & 5mm
- Packaged in reusable mesh bag with hang tag

Reusable Mesh Bag

Part #	Model	Size	UPC Code
D338111	Men's 3mm Aleutian	XS	053086 011224
D338112	Men's 3mm Aleutian	SM	053086 011231
D338113	Men's 3mm Aleutian	MD	053086 011248
D338115	Men's 3mm Aleutian	LG	053086 011255
D338116	Men's 3mm Aleutian	XL	053086 011262
D358111	Men's 5mm Aleutian	XS	053086 011279
D358112	Men's 5mm Aleutian	SM	053086 011286
D358113	Men's 5mm Aleutian	MD	053086 011293
D358115	Men's 5mm Aleutian	LG	053086 011309
D358116	Men's 5mm Aleutian	XL	053086 011316

DEEP SEE® BARNACLE GLOVE

- 2mm perforated neoprene with Spandex 4-way stretch fabric
- Synthetic suede palm is reinforced in high wear areas
- "Barnacle" pads at palm and finger tops for added durability and protection
- Silicone tactiles on finger tips and palm provide excellent grip
- Adjustable hook & loop wrist closure
- Packaged on hanging header card

Black/Royal

Part #	Model	Color	Size	UPC Code
D324011	Men's Barnacle	Blk/Blk	XS	053086 004813
D324012	Men's Barnacle	Blk/Blk	SM	053086 004820
D324013	Men's Barnacle	Blk/Blk	MD	053086 004837
D324015	Men's Barnacle	Blk/Blk	LG	053086 004844
D324016	Men's Barnacle	Blk/Blk	XL	053086 004851
D324017	Men's Barnacle	Blk/Blk	XXL	053086 004868
D324001	Men's Barnacle	Blk/Ryl	XS	053086 004752
D324002	Men's Barnacle	Blk/Ryl	SM	053086 004769
D324003	Men's Barnacle	Blk/Ryl	MD	053086 004776
D324005	Men's Barnacle	Blk/Ryl	LG	053086 004783
D324006	Men's Barnacle	Blk/Ryl	XL	053086 004790
D324007	Men's Barnacle	Blk/Ryl	XXL	053086 004806

DEEP SEE® ADMIRAL GLOVE

- 2mm Nylon II neoprene on back for warmth & comfort
- Padded synthetic suede palm is reinforced for protection and durability
- Adjustable hook & loop tab at wrist
- Packaged on hanging header card

Part #	Model	Size	UPC Code
D33211	Men's Admiral	XS	053086 332114
D33212	Men's Admiral	SM	053086 332121
D33213	Men's Admiral	MD	053086 332138
D33215	Men's Admiral	LG	053086 332152
D33216	Men's Admiral	XL	053086 332169
D33217	Men's Admiral	XXL	053086 332176

EVO III BOOTS

The EVO3 boot was designed in conjunction with the military for use on wet, slippery decks, finning for swimming and running on wet rocky shores.

- Heavy duty dual layered sole with multi-directional traction lugs
- Reinforced padded ankle support
- Drainage ports
- Heel pull tab and fin keeper
- Reinforced toe and heel

Part #	Model	Size	UPC Code
611852	EVO III Boot	6	053086 015444
611853	EVO III Boot, Black,	7	053086 015451
611854	EVO III Boot, Black,	8	053086 015468
611855	EVO III Boot, Black,	9	053086 015475
611856	EVO III Boot, Black,	10	053086 015482
611857	EVO III Boot, Black,	11	053086 015499
611858	EVO III Boot, Black,	12	053086 015505
611859	EVO III Boot, Black,	13	053086 015512
611860	EVO III Boot, Black,	14	053086 015529

AQUA LUNG® POLARZIP BOOT

Reusable Mesh Bag

- Available in 5mm or 6.5mm Nylon II neoprene
- Flexible vulcanized rubber sole with 8mm insole for comfort
- Extra long #10 YKK heavy-duty zipper slider for easy entry
- Elastic zipper lock secures zipper in place
- Flexible rubber toe & heel caps guard against abrasion from foot pockets & fin straps
- Plush lining for added comfort & warmth
- Built in fin strap stop
- Entry grip tabs
- Packaged in reusable mesh bag with hang tag

Part #	Model	Size	UPC Code
1000867	Men's 5mm Polarzip	5	053086 015444
1000868	Men's 5mm Polarzip	6	053086 015451
1000869	Men's 5mm Polarzip	7	053086 015468
1000870	Men's 5mm Polarzip	8	053086 015475
1000871	Men's 5mm Polarzip	9	053086 015482
1000872	Men's 5mm Polarzip	10	053086 015499
1000873	Men's 5mm Polarzip	11	053086 015505
1000874	Men's 5mm Polarzip	12	053086 015512
1000875	Men's 5mm Polarzip	13	053086 015529
1000876	Men's 6.5mm Polarzip	5	053086 015536
1000877	Men's 6.5mm Polarzip	6	053086 015543
1000878	Men's 6.5mm Polarzip	7	053086 015550
1000879	Men's 6.5mm Polarzip	8	053086 015567
1000880	Men's 6.5mm Polarzip	9	053086 015574
1000881	Men's 6.5mm Polarzip	10	053086 015581
1000882	Men's 6.5mm Polarzip	11	053086 015598
1000883	Men's 6.5mm Polarzip	12	053086 015604
1000884	Men's 6.5mm Polarzip	13	053086 015611

BOOTS

DEEP SEE KORAL KING BOOT

- Neoprene with TERRY PLUSH inside
- Vulcanized TRIPLE THICK rubber sole designed for extremely rocky shores
- Four seam (2 front, 2 heel) pattern
- Non-corrosive Delrin #10 heavy-duty zipper
- Rubber toe & heel cap for protection
- Rubber foxing around sole for stability
- Packaged in poly bag

Part #	Model	Size	UPC Code
D9521105	Men's 5mm Koral King	5	053086 954156
D9521106	Men's 5mm Koral King	6	053086 954163
D9521107	Men's 5mm Koral King	7	053086 954170
D9521108	Men's 5mm Koral King	8	053086 954187
D9521109	Men's 5mm Koral King	9	053086 954194
D9521110	Men's 5mm Koral King	10	053086 954101
D9521111	Men's 5mm Koral King	11	053086 954118
D9521112	Men's 5mm Koral King	12	053086 954125
D9521113	Men's 5mm Koral King	13	053086 954132

DEEP SEE MANTA BOOT

- SEEFLEX Nylon II neoprene
- 2-color compression molded sole, built-in arch support & raised heel for comfort
- Neoprene innersole is 2mm thicker than upper for added comfort and warmth
- Two-seam pattern minimizes chafing
- Non-corrosive Delrin #10 heavy-duty zipper
- Packaged in reusable mesh bag with hang tag

Part #	Model	Size	UPC Code
D9339105	Men's 3mm Manta	5	053086 933953
D9339106	Men's 3mm Manta	6	053086 933960
D9339107	Men's 3mm Manta	7	053086 933977
D9339108	Men's 3mm Manta	8	053086 933984
D9339109	Men's 3mm Manta	9	053086 933991
D9339110	Men's 3mm Manta	10	053086 933106
D9339111	Men's 3mm Manta	11	053086 933113
D9339112	Men's 3mm Manta	12	053086 933120
D9339113	Men's 3mm Manta	13	053086 933137
D9539105	Men's 5mm Manta	5	053086 953951
D9539106	Men's 5mm Manta	6	053086 953968
D9539107	Men's 5mm Manta	7	053086 953975
D9539108	Men's 5mm Manta	8	053086 953982
D9539109	Men's 5mm Manta	9	053086 953999
D9539110	Men's 5mm Manta	10	053086 000648
D9539111	Men's 5mm Manta	11	053086 000655
D9539112	Men's 5mm Manta	12	053086 000662
D9539113	Men's 5mm Manta	13	053086 000679
D9639105	Men's 6.5mm Manta	5	053086 963950
D9639106	Men's 6.5mm Manta	6	053086 963967
D9639107	Men's 6.5mm Manta	7	053086 963974
D9639108	Men's 6.5mm Manta	8	053086 963981
D9639109	Men's 6.5mm Manta	9	053086 963998
D9639110	Men's 6.5mm Manta	10	053086 000730
D9639111	Men's 6.5mm Manta	11	053086 000747
D9639112	Men's 6.5mm Manta	12	053086 000754
D9639113	Men's 6.5mm Manta	13	053086 000761

BOOTS

AQUA LUNG® 3, 5 & 6.5MM ECHOZIP ERGO BOOT

- New anatomically correct ERGO™ shaped footbed and outsole
- Standard neoprene upper with exterior thickness markings
- Hook & loop zipper lock keeps zipper in place
- Flexible vulcanized rubber outsole
- Four seam (2 front, 2 heel) pattern
- Non-corrosive YKK #10 heavy-duty zipper
- Packaged in PVC-free ziploc poly bag with descriptive hang tag

Traditional Diving Boot

Part #	Model	Size	UPC Code
1001667	Men's 3mm EchoZip Ergo	5	053086 003892
1001668	Men's 3mm EchoZip Ergo	6	053086 003908
1001669	Men's 3mm EchoZip Ergo	7	053086 003915
1001670	Men's 3mm EchoZip Ergo	8	053086 003922
1001671	Men's 3mm EchoZip Ergo	9	053086 003939
1001672	Men's 3mm EchoZip Ergo	10	053086 004042
1001673	Men's 3mm EchoZip Ergo	11	053086 004059
1001674	Men's 3mm EchoZip Ergo	12	053086 004066
1001675	Men's 3mm EchoZip Ergo	13	053086 009610
1001676	Men's 5mm EchoZip Ergo	5	053086 013662
1001677	Men's 5mm EchoZip Ergo	6	053086 013679
1001678	Men's 5mm EchoZip Ergo	7	053086 013686
1001679	Men's 5mm EchoZip Ergo	8	053086 013976
1001680	Men's 5mm EchoZip Ergo	9	053086 015925
1001681	Men's 5mm EchoZip Ergo	10	053086 016021
1001682	Men's 5mm EchoZip Ergo	11	053086 016038
1001683	Men's 5mm EchoZip Ergo	12	053086 016106
1001684	Men's 5mm EchoZip Ergo	13	053086 016427
1002149	Men's 5mm EchoZip Ergo	14	053086 025634
1002150	Men's 5mm EchoZip Ergo	15	053086 025641
1001697	Men's 6.5mm EchoZip Ergo	5	053086 022213
1001698	Men's 6.5mm EchoZip Ergo	6	053086 022220
1001699	Men's 6.5mm EchoZip Ergo	7	053086 022237
1001700	Men's 6.5mm EchoZip Ergo	8	053086 022244
1001701	Men's 6.5mm EchoZip Ergo	9	053086 022251
1001702	Men's 6.5mm EchoZip Ergo	10	053086 022268
1001703	Men's 6.5mm EchoZip Ergo	11	053086 022275
1001704	Men's 6.5mm EchoZip Ergo	12	053086 022282
1001705	Men's 6.5mm EchoZip Ergo	13	053086 022299

AQUA LUNG 3, 5 & 6.5MM SUPERZIP ERGO BOOT

- New anatomically correct ERGO™ shaped footbed and outsole
- Asymmetric toe, instep, and heel cap for added protection & durability
- Hook & loop zipper lock keeps zipper in place
- Standard neoprene upper with exterior thickness markings
- Flexible vulcanized rubber outsole
- Four seam (2 front, 2 heel) pattern
- Non-corrosive YKK #10 heavy-duty zipper
- Packaged in PVC-free ziploc poly bag with descriptive hang tag

Part #	Model	Size	UPC Code
1001640	Men's 3mm Superzip Ergo	5	053086 003120
1001641	Men's 3mm Superzip Ergo	6	053086 003625
1001642	Men's 3mm Superzip Ergo	7	053086 003632
1001643	Men's 3mm Superzip Ergo	8	053086 003656
1001644	Men's 3mm Superzip Ergo	9	053086 003663
1001645	Men's 3mm Superzip Ergo	10	053086 003670
1001646	Men's 3mm Superzip Ergo	11	053086 003687
1001647	Men's 3mm Superzip Ergo	12	053086 003694
1001648	Men's 3mm Superzip Ergo	13	053086 003700
1001649	Men's 5mm Superzip Ergo	5	053086 003717
1001650	Men's 5mm Superzip Ergo	6	053086 003724
1001651	Men's 5mm Superzip Ergo	7	053086 003731
1001652	Men's 5mm Superzip Ergo	8	053086 003748
1001653	Men's 5mm Superzip Ergo	9	053086 003755
1001654	Men's 5mm Superzip Ergo	10	053086 003762
1001655	Men's 5mm Superzip Ergo	11	053086 003779
1001656	Men's 5mm Superzip Ergo	12	053086 003786
1001657	Men's 5mm Superzip Ergo	13	053086 003793
1001658	Men's 6.5mm Superzip Ergo	5	053086 003809
1001659	Men's 6.5mm Superzip Ergo	6	053086 003816
1001660	Men's 6.5mm Superzip Ergo	7	053086 003823
1001661	Men's 6.5mm Superzip Ergo	8	053086 003830
1001662	Men's 6.5mm Superzip Ergo	9	053086 003847
1001663	Men's 6.5mm Superzip Ergo	10	053086 003854
1001664	Men's 6.5mm Superzip Ergo	11	053086 003861
1001665	Men's 6.5mm Superzip Ergo	12	053086 003878
1001666	Men's 6.5mm Superzip Ergo	13	053086 003885

BAGS

AQUA LUNG® OCEAN PACK- DELUXE MESH BACKPACK

- 1680 Denier Ballistic nylon with heavy-duty rubber coated mesh
- Total weight is 2.6 lbs
- Heavy-duty YKK tooth zipper with anatomic zipper pull extenders
- Padded backpack straps with adjustable sternum strap
- Soft foam spine pad and neoprene back pad
- Elastic drawstring closure with barrel lock
- Full length side zipper for easy access to all contents
- Large zippered front pocket with organizer for keys, pens, and C-Card
- Soft rubber side carry handle
- Heavy-duty vinyl bottom with drain grommets
- Deep See Lifetime Warranty
- 28" x 15.5" x 13.5", Capacity 5,859 in³

Part #	Model	UPC Code
D67030	Aqua Lung Ocean Pack	053086 006626

AQUA LUNG® TRAVELER 1600 - LARGE ROLLER BAG

- Heavy-duty PVC-free 840D nylon
- Total weight is 10.5 lbs
- NEW convenient backpack straps for easy carrying
- Internal fin pockets accommodate large dive fins
- Lightweight extendable aluminum handle
- Removable accessory bag strap
- Durable and smooth rolling ball bearing wheels
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- External ID pocket
- Protective rails, kick plate, and wheel housings for added durability
- Padded top and side handles for lifting comfort
- Rigid bottom handle for easy lifting
- Deep See Lifetime Warranty
- 19" x 31" x 16", Capacity 8,969 in³

Part #	Model	UPC Code
1000915	Traveler 1600 Large Roller - Blk/Blu	053086 025047

AQUA LUNG® TRAVELER 1550 - MEDIUM ROLLER BAG

- Heavy-duty PVC-free 840D nylon
- Total weight is 10.6 lbs
- Meets most major airline size requirements for checked baggage
- Two internal zippered mesh compartments
- Internal fin pockets accommodate large dive fins
- Accessory pocket for log book & small tools
- Extra large external document pocket
- Lightweight extendable aluminum handle
- Removable accessory bag strap
- Durable and smooth rolling ball bearing wheels
- Protective stiffener and padding throughout bag
- External daisy chain for quick attachments
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- External ID pocket
- Protective rails, kick plate, and wheel housings for added durability
- Padded top and side handles for lifting comfort
- Rigid bottom handle for easy lifting
- Deep See Lifetime Warranty
- 19" x 31" x 12", Capacity 7,068 in³

Part #	Model	UPC Code
1000916	Traveler 1550 Medium Roller - Blk/Blu	053086 015949

AQUA LUNG® TRAVELER 850 - ROLLER DUFFLE

- Heavy-duty PVC-free 840D nylon
- Total weight is 8.8 lbs
- Large internal zippered mesh compartment
- Internal fin pockets accommodate large dive fins
- Lightweight extendable aluminum handle
- Removable accessory bag strap
- Durable and smooth rolling ball bearing wheels
- Protective stiffener and padding throughout bag
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- External ID pocket
- Protective rails, kick plate, and wheel housings for added durability
- Padded top handle and rigid bottom handle for easy lifting
- Deep See Lifetime Warranty
- 14" x 31" x 14", Capacity 6,076 in³

Part #	Model
1000917	Traveler 850 Roller Duffle - Blk/Blu

BAGS

AQUA LUNG® TRAVELER 250 - MESH BACKPACK

- Heavy-duty PVC-free 840D nylon
- Total weight is 1.2 lbs
- Accommodates a complete set of dive gear
- Adjustable padded ergonomic backpack straps with non-slip grip surface
- External expandable zippered accessory pocket
- Internal zippered security pocket
- PVC-free mesh
- Integrated padded carrying handle
- Full length side zipper for easy loading and unloading
- ½ nylon, ½ mesh bottom effectively drains water away from clothing
- Drawstring closure with barrel locks
- Corrosion resistant YKK zippers
- Deep See Lifetime Warranty
- 15" x 28" x 15", Capacity 4,945 in³

Part #	Model	UPC Code
1000921	Traveler 250 Mesh Backpack - Blk/Blu	053086 015994

AQUA LUNG® TRAVELER 100 - BACKPACK

- Heavy-duty PVC-free 840D nylon
- Total weight is 1.3 lbs
- Perfectly sized for carrying a laptop and other personal items
- Internal padded laptop compartment with security strap
- Internal document sleeve
- External plush lined pocket for MP3 player or sunglasses
- External zippered accessory pocket
- Ergonomic padded backpack straps with breathable mesh
- Back panel padded with breathable mesh
- Integrated padded carry handle
- Daisy chain for quick attachments
- Elastic mesh water bottle holder accommodates various bottle sizes
- Corrosion resistant YKK zippers
- Deep See Lifetime Warranty
- 12.5" x 17" x 6.5", Capacity 1,381 in³

*Water bottle not included

Part #	Model	UPC Code
1000923	Traveler 100 Backpack - Blk/Blu	053086 016014

AQUA LUNG® ARRIVAL MESH BAG

- 2" Wrap-around durable webbing handles
- Heavy-duty, #10 YKK corrosion resistant zipper
- Tear and abrasion resistant PVC-free mesh
- Fits inside interior pocket of the Departure carry-on bag
- D-ring attachment points for optional shoulder strap (#744490)
- 2 Year Limited Warranty
- 26.5" x 13.5" x 13.5", Capacity 3,791 in³

Availability: **In Stock**

Green/Gray

Blue/Black

Part #	Model	Size	UPC Code
D65201	Arrival Mesh Duffle	Green/Gray	053086 021667
D65203	Arrival Mesh Duffle	Blue/Black	053086 021681
744490	Shoulder Strap	Black	053242 106849

AQUA LUNG® T6 - DUFFLE BAG

- Tough PVC-free 840D nylon & 420D lightweight ripstop nylon
- Total weight is only 1.2 lbs for lightweight travel
- NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- D-rings for optional shoulder strap attachment (#744490)
- Corrosion resistant drainage grommets
- 2 Year Limited Warranty
- 28" x 14" x 14", Capacity 5,488 in³

Availability: **In Stock**

Part #	Model	UPC Code
1001718	T6 Duffle - Black/Blue	053086 022398
744490	Shoulder Strap	053242 106849

DEEP SEE® HEAVY-DUTY MESH BACKPACK

- Heavy-duty screen type nylon mesh & 420D nylon
- Total weight is 1.2 lbs
- Outside pocket with hook & loop closure
- 2 inside zippered pockets
- Top & side carry handles
- Full length side zipper entry
- Locking drawstring closure with a top flap
- Adjustable, padded backpack straps are ergonomically curved for a comfortable fit
- 27" x 14" x 14", Capacity 4,156 in³

Part #	Model	Color	UPC Code
D5240	HD Mesh Backpack	Blk/Ryl	053086 833925
D5241	HD Mesh Backpack	Black	053086 833932

BAGS

AQUA LUNG® T5 - MESH DUFFLE BAG

- Tough PVC-free 840D nylon & 420D lightweight ripstop nylon
- Total weight is only 1.0 lbs for lightweight travel
- NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- PVC-free fast dry mesh sides & bottom for maximum drainage
- D-rings for optional shoulder strap attachment (#744490)
- 2 Year Limited Warranty
- 25" x 13" x 13", Capacity 3,744 in³

Part #	Model	UPC Code
1001719	T5 Mesh Duffle - Black/Blue	053086 022404
744490	Shoulder Strap	053242 106849

AQUA LUNG® T4 - MESH SHOULDER BAG

- Tough PVC-free 840D nylon & 420D lightweight ripstop nylon
- Total weight is only 1.0 lbs for lightweight travel
- NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- PVC-free fast dry mesh sides for maximum drainage
- Zippered external pocket
- Corrosion resistant drainage grommets
- 2 Year Limited Warranty
- 28" x 13" x 13.5", Capacity 3,553 in³

Part #	Model	UPC Code
1001720	T4 Mesh Shoulder Bag - Black/Blue	053086 022411

DEEP SEE STOWAWAY MESH BACKPACK

- Durable nylon mesh & 210D nylon
- Total weight is 0.6 lbs
- Top & side carry handles
- Locking drawstring closure & top flap
- Adjustable, padded backpack straps are curved for a comfortable fit
- Folds up into 10" x 8" x 3" zippered pouch
- 27" x 14" x 14", Capacity 4,350 in³

Part #	Model	Color	UPC Code
D5220	Stowaway Mesh Backpack	Blk/Ryl	053086 052203
D5221	Stowaway Mesh Backpack	Black	053086 052210

AQUA LUNG MARINER MESH BAG

- Available in large and medium sizes
- Heavy duty PVC mesh
- 2" nylon support webbing
- Nylon D-rings for optional shoulder strap
- Optional shoulder strap is adjustable with nylon swivel hardware
- 2 year limited warranty
- Large Bag - 28.5" x 16" x 16", Capacity 5,731 in³, Weight 1.75 lbs
- Medium Bag - 26.5" x 13.5" x 13.5", Capacity 3,793 in³, Weight 1.6 lbs

Part #	Model	Size	UPC Code
744950	Large Mariner Mesh Bag	Black	053242 107082
744700	Medium Mariner Mesh Bag	Black	053242 106917
744710	Medium Mariner Mesh Bag	Blue	053242 106924
744730	Medium Mariner Mesh Bag	Yellow	053242 106948
744490	Shoulder Strap	Black	053242 106849

DEEP SEE HEAVY-DUTY MESH DIVER'S BAG

- Durable nylon mesh
- Total weight is 0.6 lbs
- Exterior mesh pocket with hook & loop closure on side of bag
- 2" nylon web straps go completely around bag for strength & support
- #10 YKK tooth zipper & D-rings at ends for optional shoulder strap
- 30" x 16" x 16", Capacity 6,032 in³

Part #	Model	UPC Code
D5142	HD Mesh Bag - Black/Red/White	053086 051428

KNIVES

AQUA LUNG® MASTER KNIFE

- 7 inch serrated blade
- Stainless steel butt cap
- Plastic sheath

Part #	Description	UPC Code	NSN
422600	Master Knife	053242 422604	422000 1411909

DEEP SEE® BIG SQUEEZE

- 4 1/2" blade, overall length 9 1/2"
- 304 series stainless steel or high grade Beta Alloy Titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent # 5,926,959)
- Variable mounting options: Rubber leg straps are included, Molded belt clip on sheath, Optional "barnacle nuts" & bolts for mounting through fabric. (Sold separately- See part #416318 on Small Parts List. Set of 2 nuts & 2 bolts)

Part #	Description	UPC Code
D47910	Big Squeeze Blunt Tip Blu	053086 479109
D47914	Big Squeeze Blunt Tip Chr	053086 479147
D47917	Big Squeeze Blunt Tip Yel	053086 479178
D47920	Big Squeeze Drop Point Blu	053086 479208
D47924	Big Squeeze Drop Point Chr	053086 479246
D47927	Big Squeeze Drop Point Yel	053086 479277
D48980	Big Squeeze Titanium Tanto Tip Blu	053086 489801
D48984	Big Squeeze Titanium Tanto Tip Chr	053086 489849
D48987	Big Squeeze Titanium Tanto Tip Yel	053086 489870

DEEP SEE® JACK KNIFE

- 5" blade, overall length 9 1/2"
- 420 series stainless steel
- One piece blade and tang
- Knife completely disassembles for cleaning
- Serrated top edge and built-in line cutter
- Metal bottom cap
- Comfortable handle with lanyard hole
- Rubber leg straps included

Part #	Description	UPC Code
D8250	Jack Stainless Drop Point Blu	053086 082507
D8251	Jack Stainless Drop Point Blk	053086 082514
D8257	Jack Stainless Drop Point Yel	053086 082576
D8260	Jack Stainless Blunt Tip Blu	053086 082606
D8261	Jack Stainless Blunt Tip Blk	053086 082613
D8267	Jack Stainless Blunt Tip Yel	053086 082675

DEEP SEE® SQUEEZE LOCK

- 3" blade, overall length 6.5"
- 304 series stainless steel or high grade Beta Alloy Titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent #5,926,959)
- Variable mounting options:
  - Stainless Steel "barnacle nuts" & bolts are included for mounting through fabric or for installation on Buoyancy Compensators with knife grommets
  - Hose mounting straps are included for mounting to the BC inflator hose
  - Locking belt clip is integrated into sheath for attaching knife to webbing
  - Sheath has molded strap slots for use with optional rubber leg straps

Part #	Description	UPC Code
D47530	Squeeze Lock Blunt Tip Blu	053086 001652
D47532	Squeeze Lock Blunt Tip Red	053086 007197
D47534	Squeeze Lock Blunt Tip Chr	053086 001669
D47537	Squeeze Lock Blunt Tip Yel	053086 001676
D48560	Squeeze Lock Titanium Stiletto Tip Blu	053086 001683
D48564	Squeeze Lock Titanium Stiletto Tip Chr	053086 001690
D48567	Squeeze Lock Titanium Stiletto Tip Yel	053086 001706
D48590	Squeeze Lock Titanium Tanto Tip Blu	053086 001713
D48594	Squeeze Lock Titanium Tanto Tip Chr	053086 001720
D48597	Squeeze Lock Titanium Tanto Tip Yel	053086 001737

DEEP SEE® EZ LOCK & EZ LOCK TITANIUM

- Titanium models: 4" blade, overall length 8.25"
- Stainless Steel models: 3.75" blade, overall length 8.25"
- Dolphin & Drop Point: 304 series stainless steel
- Blunt tip: 420 series stainless steel
- Titanium: High Grade Beta Alloy Titanium
- Patented positive lock sheath system
- Alternate hollow ground serration
- Lanyard hole
- Double serration on drop point
- Rubber leg strap included
- Molded belt clip on sheath

Part #	Description	UPC Code
D8150	EZ Lock Blunt Tip Blk	053086 815051
D8160	EZ Lock Dolphin Point Blk	053086 816065
D8170	EZ Lock Drop Point Blk	053086 817079
D48151	EZ Lock Titanium Stiletto Tip	053086 481515
D48180	EZ Lock Titanium Tanto Tip	053086 481805

SPARE PARTS LIST

*Spare parts may be available for discontinued items.

Part #	Description	Color
D8298B	Jack Knife - Butt Cap	-
D82981	Jack Knife - Sheath	Black
D82987	Jack Knife - Sheath	Yellow
D8299	Jack Knife - 24" Straps w/buckles (Qty. 2)	-
D48198	EZ Lock Titanium Knife - Sheath	-
D8151S	EZ Lock Knife - Sheath	-
D47540	Squeeze Lock Knife - Sheath	-
D14791	Big Squeeze Knife - Sheath	-
D416318	Barnacle Nut & Screw Kit (4 pieces) - For use with Squeeze Lock & Big Squeeze	-
41942	24" Straps w/Quick Release Buckles (Qty. 2)	-
D441952	Knife Hose Mount Attachment	-

SURFACE-SUPPLY DIVING

AQUA LUNG®
Military & Professional

GORSKI G2000SS HELMET

The "Gorski Hat"

© Alexis Rosenfeld / Aqua Lung

© Alexis Rosenfeld / Aqua Lung

Gorski Hat Features

- Set the standard for modern diving helmets
- Functional, robust and durable design
- Cast stainless steel (SS) shell, neck ring and retainer
- Ideal helmet balance when worn
- All SS construction resists corrosion and electrolysis
- Dual-action locking system for neck ring
- Unique side-mounted regulator design
- Breathing loop components protected inside shell
- Regulator shielded from front impact
- Reinforced face plate retention system
- Easy to switch between 2-wire and 4-wire comms
- Excellent field of view
- Straightforward and inexpensive to maintain
- Approx 50% fewer components than other helmets
- Helmet service kit available
- Manufactured by the Aqua Lung group
- Global network for sales and technical support
- Accessories include mounting brackets & welding shield
- Neck ring interfaces with all contaminated water diving suits including White's HazMat suit
- Field conversion to free flow mode
- Full support documentation available on-line

Item Description	Part #
G2000SS Helmet, complete	400000
Welding Shield Kit	400102
Mounting Bracket, Light/Camera	400107
Annual Service Kit	400108
Double Exhaust Kit	400111

GORSKI

High quality OTS comms fitted as standard - OTS ear/microphones are water and rustproof

AQUA LUNG STANDARD HELMET BAG

- Provides protection for Gorski G2000SS diving helmet
- Heavy duty construction
- Separate pocket for neck ring assembly

Part #	Description
400804	Standard Helmet Bag

AQUA LUNG HELMET FLOTATION BAG

- Provides protection for Gorski G2000SS diving helmet
- Floats with helmet inside
- Heavy duty construction

Part #	Description
400805	Helmet Flotation Bag

SURFACE-SUPPLY DIVING

AQUA LUNG® PERSONAL DIVER HARNESS (H1)

- Strength-rated individual recovery harness
- Full-body, easily adjusted, one-size design
- Worn underneath an equipment vest/bell jacket
- Secure attachment points for dive umbilical
- Recovery points: rear lifting ring (1), shoulder rings (2)
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N

Part #	Description
769178	Harness, PDH, Personal Diver (H1)

AQUA LUNG® COMMERCIAL DIVING HARNESS (H3)

- Multi-function professional diving harness
- For bailout cylinder(s), weights, tools, and umbilical attachment
- Integrated strength-rated recovery function
- Recovery points: rear lifting ring (1), shoulder rings (2)
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N
- Easy to load weight pockets hold up to 60 lb / 13.2 kg

Part #	Description
400800	Commercial Diving Harness (H3), incl. 4 x 12.5lb weight pouches. SIZE 1
400801	Commercial Diving Harness (H3), incl. 4 x 12.5lb weight pouches. SIZE 2

AQUA LUNG

BACK PLATE DIVING HARNESS (H2)

- Basic working harness for professional diving
- For bailout cylinder(s), tools, and umbilical attachment
- Stainless steel back plate for single or twin bailout
- Integrated strength-rated recovery function
- Recovery points: rear lifting ring (1), shoulder rings (2)
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N

Front View | Back View

Part #	Description
400802	Back Plate Diving Harness (H2)

AQUA LUNG

DIVER RECOVERY BRIDLE

- For recovery of unconscious diver from the water
- Connects to harness shoulder rings
- Robust and easy to rig
- High grade carabiners
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N

Part #	Description
400803	Diver Recovery Bridle

AQUA LUNG

ACCESSORY POUCH

- For recovery of unconscious diver from the water
- Connects to harness shoulder rings
- Robust and easy to rig
- High grade carabiners
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N

Top View

Front View

Part #	Description
400806	12.5lb Weight Pouch
400807	Accessory Pouch

MISSION SPECIFIC DIVE PRODUCTS

AQUA LUNG®

COMBAT SWIMMER ASSAULT VEST (CSAV)

(Distribution may be restricted-Check with Aqua Lung)

Multi-use Buoyancy Compensator that adapts to front and back mounts rebreathers, and to open circuit SCUBA.

- Doubles as a lifejacket
- Black color for clandestine operations
- Double-bag construction (bladder volume: 15.8L / 35lbs), outer bag made of extra durable 1000 Denier Cordura.
- Can be inflated by 2 cylinders (3,000psi - 0.21L / 1.5cu.ft), direct feed inflator or orally
- Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- Molle straps for accessories attachment
- 2 Drain caps
- 1 overpressure relief/dump valve

Part #	Description
COMBAT	**SWIMMER ASSAULT VEST (CSAV)**
769100	CSAV Vest Complete Gen 3, w/o cylinders
769116	CSAV Vest Complete Gen 3, with 2 cylinders
769361	CSAV, EN, Engineer Divers, **U.S. Army Special Order Only**
769360	CSAV, SF, Special Forces Divers, **U.S. Army Special Order Only**
769364	Kit Bag, MMJ
769082	Pocket, Bottle, CSAV
769092	Kit, Strap, MK 25
769089	Kit, Strap, MK 16
769141	Kit, Strap, Twin and Single SCUBA
769083	Wt Sheath, each, 10 lbs, CSAV
769084	Wt Pouch, each, 10 lbs, CSAV
769143	Wt Sheath, each, 20lbs, CSAV
769144	Wt Pouch, each, 20 lbs, CSAV
710108	Weight, soft, 4lb, Blue
101271Z	Cylinder1.5 cu. Ft., w/valve for Atlantis, CSAV, CDV, MAG Version
101294	Cylinder1.5 cu. Ft (Blk Anodized)., w/valve, MAG Version
102100	Valve Assy, w/3.0 cu foot bottle
769123	Pocket, Bottle, 3 cf ft, CSAV
769106	Kit, Spare Parts, Field, CSAV
769105	Bladder, CSAV NSW, packaged
108615	LPIS, Low Pressure Inflation System
769146	Pocket LPIS, Black Nylon
42609	Kit, Overhaul, Powerline

AQUA LUNG NAVIGATION BOARDS

(Distribution may be restricted-Check with Aqua Lung)

AQUA LUNG TAC-100 DIVER NAVIGATION BOARD

The TAC-100 Underwater Navigation Board is the original combat swim board used by Special Forces around the world. First developed for the U.S. Navy Seal Team and Army SOF. The TAC-100 integrate an highly accurate analogue gauge 0-18 meter or 0-60 feet, a Luminox Seal Team Diving Watch and an underwater compass onto a rugged and light weight high impact plastic board with easy-to-grip handles. A build-in adjustable chem-light holder on the console illuminate the compass for night ops. The TAC-100 comes with a padded carrying bag.

Part #	Description
742165	TAC-100 W/COMPASS & BAG COMPLETE
102117	TAC-100AI COMPLETE (IMPERIAL)
742166	TAC-100 W/COMPASS & BAG

AQUA LUNG TAC-200 COMBAT SWIM BOARD

The newest addition to our combat swim board product line, the TAC-200 Combat Swim Board is smaller and lighter than the original TAC-100. It's compact design makes it easier to deploy with. Using the new TAC200-2 Underwater Compass, the TAC-200 is very accurate and easy to navigate even in the poorest visibility.

Designed for the U.S. Navy SEALS, the TAC-200 Combat Swim Board comes with an highly accurate analogue gauge 0-18 meter or 0-60 feet, a Luminox Seal Team Diving Watch, a compass with a 20 years luminous dial and padded storage bag.

Part #	Description
742160	TAC-200 COMBAT SWIM NAV.BOARD COMPLETE
742161	TAC-200 COMBAT SWIM NAV. BOARD

AQUA LUNG®

Military & Professional

THE COLD WATER SPECIALISTS
WHITES
SINCE 1956

apeks®

GORSKI

AQUA LUNG AMERICA, INC.
2340 Cousteau Court
Vista, CA 92081, U.S.A.

TOLL FREE ORDER DESK
800.775.3483 / 800.854.7066

TOLL FREE FAX
800.882.3483

INTERNATIONAL TEL
+1.760-597-5000

INTERNATIONAL FAX
+1.760-597 4900

RETURNS / REPAIRS / RA
1.877.253.3483

PUBLIC SAFETY PROGRAM ENQUIRIES
publicsafety@aqualung.com

www.aqualung.com/militaryandprofessional